according to Regulation (EC) No. 1907/2006 (REACH)

# series 14 - HORADAM AQUARELL

05.01.17 Article No. Issue date: 1 / 8 Version ( 05.01.17 ) **Page** 

# SECTION 1: Identification of the substance/mixture and of the

# company/undertaking

### 1.1 Product identifier

series 14 - HORADAM AQUARELL Trade name

Finest artists' water-colours

14 102 permanent Chinese white

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General use

Products for creation of art.

Uses advised against

### 1.3 Details of the supplier of the safety data sheet

H. Schmincke & Co. GmbH & Co. KG

Otto-Hahn-Str. 2 D - 40699 Erkrath Tel. +49 (0) 211-2509-0 Fax. +49 (0) 211-2509-497 info@schmincke.de www.schmincke.de

#### Dept. responsible for information

Schmincke-lab:

mo-th 8.00-16.30, fr 8.00-13.30 Tel. +49 (0) 211-2509-474 labor@schmincke.de

### 1.4 Emergency telephone number

Emergency

Emergencycall Berlin (24h - counseling in german and english) Informatión

Phone # +49 (0) 30-30686790

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### Classification according to EC regulation 1272/2008 (CLP)

Aquatic Acute 1; H400 Very toxic to aquatic life.

Aquatic Chronic 1; H410 Very toxic to aquatic life with long lasting effects.

### 2.2 Label elements

### Labelling (CLP)



Warning Signal word

**Hazard statements** 

H410 Very toxic to aquatic life with long lasting effects.

Based on the low volume (small packaging size) and the tiny risk potential there is no labelling on the pans and the 5ml tubes.

Safety precautions

P102 Keep out of reach of children.

according to Regulation (EC) No. 1907/2006 (REACH)

# series 14 - HORADAM AQUARELL

 Article No.
 Issue date:
 05.01.17

 Version
 3 ( 05.01.17 )
 Page
 2 / 8

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P391 Collect spillage.

### 2.3 Other hazards

Contains 1,2-Benzisothiazol-3(2H)-one, 2-Methyl-2H-isothiazol-3-one. May produce an allergic reaction. (EUH208)

# **SECTION 3: Composition / information on ingredients**

### 3.1 Substances

#### **Chemical characterisation**

pigment gum arabic Water

CAS-Number
EINECS / ELINCS / NLP
EU index number
Customs tariff number
REACH registration No.
RTECS-no.

RTECS-no. Hazchem-Code CI-Number

PW4

### 3.2 Mixtures

Substance 1

zinc oxide: 50 - 75 % CAS: 1314-13-2

REACH: 01-2119463881-32-0043

Aquatic Acute 1; H400 / Aquatic Chronic 1; H410

#### **Additional information**

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

### **General information**

No risks worthy of mention.

#### In case of inhalation

No special measures are required.

If you feel unwell, seek medical advice (show the label where possible).

#### In case of skin contact

Thoroughly wash skin with soap and water.

Seek medical attention if irritation persists.

#### After eye contact

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Seek medical attention if irritation persists.

#### After swallowing

Rinse mouth with water. Let water be drunken in little sips (dilution effect).

Get medical advice/attention if you feel unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

### 4.3 Indication of any immediate medical attention and special treatment needed

according to Regulation (EC) No. 1907/2006 (REACH)

# series 14 - HORADAM AQUARELL

 Article No.
 Issue date:
 05.01.17

 Version
 3 (05.01.17)
 Page
 3 / 8

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media

Product is non-combustible. Extinguishing materials should therefore be selected according to surroundings.

Extinguishing media which must not be used for safety reasons

water High power water jet

#### 5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide and carbon dioxide

### 5.3 Advice for firefighters

Special protective equipment for firefighters

**Additional information** 

# **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, and clothing.

## 6.2 environmental precautions

Discharge into the environment must be avoided.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up

Take up mechanically. Wash spill area with plenty of water.

**Additional information** 

#### 6.4 Reference to other sections

Dispose of waste according to applicable legislation. refer to section 13

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advices on safe handling

Handle in accordance with good industrial hygiene and safety practice.

Precautions against fire and explosion

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers

Keep container tightly closed.

Hints on joint storage

Storage class

Further details

storage temperature: 5 - 30 °C Protect from moisture contamination.

#### 7.3 Specific end use(s)

No special measures necessary if stored and handled as prescribed.

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

1314-13-2 zinc oxide

DEU	E-dust	1,250	mg/m³	4(I)
DEU		10,000	mg/m³	2(II)

### **8.2 Exposure controls**

### Occupational exposure controls

according to Regulation (EC) No. 1907/2006 (REACH)

# series 14 - HORADAM AQUARELL

 Article No.
 Issue date:
 05.01.17

 Version
 3 (05.01.17)
 Page
 4 / 8

Respiratory protection

With the formation of dust, use a dust mask.

**Hand protection** 

Protect skin by using skin protective cream.

**Eye protection** 

Goggles

**Body protection** 

Wear suitable protective clothing. Wash contaminated clothing prior to re-use.

General protection and hygiene measures

After work, wash hands and face.

# **SECTION 9: Physical and chemical properties**

### 9.1 information on basic physical and chemical properties

Form solid / pasty
Colour pigmented
Odour almost odourless

min max

Initial boiling point and

boiling range

Melting point/freezing point Flash point/flash point range

**Flammability** 

Ignition temperature
Auto-ignition temperature

Explosion limits Refraction index

Partition coefficient: n-octanol/water

**Danger of explosion** 

Vapour pressure

**Density** max. 20 °C

1,25 kg/l

**PH value** 4 6,5

Viscosity dynamic of Viscosity dynamic up to

Viscosity kinematic of Viscosity kinematic up to

### 9.2 Other information

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2 Chemical stability

Product is stable under normal storage conditions.

### 10.3 Possibility of hazardous reactions

# 10.4 Conditions to avoid

frost and heat

### 10.5 Incompatible materials

strong acids oxidizing agents Strong alkali

### 10.6 Hazardous decomposition products

No known hazardous decomposition products.

according to Regulation (EC) No. 1907/2006 (REACH)

# series 14 - HORADAM AQUARELL

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

**Acute toxicity** 

No data available

In case of inhalation

No data available

After swallowing

No data available

In case of skin contact

No data available

After eye contact

No data available

## Practical experience

#### **General remarks**

# Toxicological tests

1314-13-2	zinc oxid	de				
	oral	LD50	Rat	10000,000	mg/kg	-
	inhalative	LC50	Rat	5,700	mg/l	(4h)

# **SECTION 12: Ecological information**

### 12.1 Toxicity

**Aquatic toxicity** 

Water Hazard Class

WGK catalog number General information

# 12.2 Persistence and degradability

**Further details** 

Product is partially biodegradable.

2

Oxygen demand

### 12.3 Bioaccumulative potential

Bioconcentration factor (BCF)

Partition coefficient: n-octanol/water

### 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

No data available

### 12.6 Other adverse effects

**General information** 

## **Ecotoxicological effects**

1314-13-2 zinc oxide

EC50	Algae	0,170	ma/l	(72h)
2000	112940	0,2.0	g/ =	( , === )

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

according to Regulation (EC) No. 1907/2006 (REACH)

# series 14 - HORADAM AQUARELL

 Article No.
 Issue date:
 05.01.17

 Version
 3 (05.01.17)
 Page
 6 / 8

**Product** 

Waste key number

080112 waste paint and varnish other than those mentioned in 080111

Recommendation

#### Contaminated packaging

Waste key number Recommendation

### **Additional information**

# **SECTION 14: Transport information**

### **14.1 UN number**

3082

### 14.2 UN proper shipping name

**ADR, ADN** Environmentally hazardous substance, liquid n.o.s.

IMDG, IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

### 14.3 Transport hazard class(es)

 ADR, ADN
 9

 IMDG
 9

 IATA
 9

### 14.4 Packing group

III

## 14.5 Environmental hazards

Marine Pollutant - IMDG Yes
Marine Pollutant - ADN

# 14.6 Special precautions for user

### **Land transport**

Code: ADR/RIDM6Kemmler-number90Hazard label ADR9Limited quantities51

Contaminated packaging: Instructions P001 - IBC03 - LP01 - R001

Contaminated packaging: Special provisions PP1
Special provisions for packing together MP19
Portable tanks: Instructions T4
Portable tanks: Special provisions TP1 - TP29
Tank coding LGBV
Tunnel restriction E

Remarks

**EQ** E1

**Special provisions** 274 - 335 - 375 - 601

#### **Inland waterway craft**

Hazard label
Limited quantities
Transport permitted
Equipment necessary
Ventilation
Remarks
EQ

**Special provisions** 

# Sea transport

according to Regulation (EC) No. 1907/2006 (REACH)

# series 14 - HORADAM AQUARELL

 Article No.
 Issue date:
 05.01.17

 Version
 3 ( 05.01.17 )
 Page
 7 / 8

EmS F-A, S-F

**Special provisions** 274 - 335 - 969

Limited quantities 5

Contaminated packaging: Instructions P001 - LP01

Contaminated packaging: Special provisions PP1

IBC: Instructions IBC03

IBC: Provisions 
Tank instructions IMO -

Tank instructions Special provisionsTP1 - TP29Stowage and segregationcategory A

**Properties and observations** 

**Tank instructions UN** 

Remarks

**EQ** E1

Air transport

Hazard

 Passenger
 964 (450l)

 Passenger LQ
 Y964 (30kg G)

 Cargo
 964 (450l)

 ERG
 9L

Remarks

EQ E1

Special Provisioning A97 - A158 - A197

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

# **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

T4

#### **National regulations**

#### **Europe**

Contents of VOC [%]

**Contents of VOC** 

[g/L]

Further regulations, limitations and legal requirements

## <u>Germany</u>

Storage class

Water Hazard Class 2

WGK catalog number Incident regulation

Information on working limitations

Further regulations, limitations and legal requirements

### **Denmark**

Further regulations, limitations and legal requirements

### **Hungary**

Further regulations, limitations and legal requirements

### **Great Britain**

Further regulations, limitations and legal requirements

### **Switzerland**

according to Regulation (EC) No. 1907/2006 (REACH

# series 14 - HORADAM AQUARELL

 Article No.
 Issue date:
 05.01.17

 Version
 3 (05.01.17)
 Page
 8 / 8

Contents of VOC [%]

Further regulations, limitations and legal requirements

#### **USA**

Further regulations, limitations and legal requirements Federal Regulations State Regulations

#### <u>Japan</u>

Further regulations, limitations and legal requirements

#### Canada

Further regulations, limitations and legal requirements

### **15.2 Chemical Safety Assessment**

# **SECTION 16: Other information**

### **Further information**

Hazard statements (CLP) H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

#### **Further information**

This information is abased on our current state of knowledge and describes the security standards applicable to our product for the purpose provided. The information provided here does not constitute a legally binding warranty of specific characteristics or of suitability for a specific application use of the product is thus to be adapted to the user's special conditions and checked by preliminary tests. We are thus unable to guarantee product characteristics or accept an liability for damage arising in connection with the use of our products.

#### Literature

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

### Reason of change

### **Additional information**

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.