

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

series 10 - MUSSINI (with zinc oxide pigments)

Article No.

Version

4 (01.03.17)

Issue date:

Page

07.03.17

1 / 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name series 10 - MUSSINI
10103 titanium opaque white - 10105 translucent white - 10206 flesh tint - 10207 Medieval yellow
- 10479 cobalt blue hue - 10486 royal blue deep - 10487 manganese cerulean blue - 10495 Byzantine
blue - 10529 viridian - 10784 bluish grey 1 - 10785 bluish grey 2 - 10787 brownish grey 1 -
10790 shade grey - 10792 dove grey

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use

Products for creation of art.

Uses advised against

1.3 Details of the supplier of the safety data sheet

H. Schmincke & Co. GmbH & Co. KG
Otto-Hahn-Str. 2
D - 40699 Erkrath
Tel. +49 (0) 211-2509-0
Fax. +49 (0) 211-2509-497
info@schmincke.de
www.schmincke.de

Dept. responsible for information

Schmincke-lab:
mo-th 8.00-16.30,fr 8.00-13.30
Tel. +49 (0) 211-2509-474
labor@schmincke.de

1.4 Emergency telephone number

**Emergency
Information
Phone #**

**Emergencycall Berlin
(24h - counseling in german and english)
+49 (0) 30-30686790**

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

no hazard labelling required

2.2 Label elements

Labelling (CLP)

Signal word

Hazard statements

no hazard labelling required

Safety precautions

2.3 Other hazards

SECTION 3: Composition / information on ingredients

3.1 Substances

Chemical characterisation

oil
pigment

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

series 10 - MUSSINI (with zinc oxide pigments)

| | | | |
|-------------|----------------|-------------|----------|
| Article No. | | Issue date: | 07.03.17 |
| Version | 4 (01.03.17) | Page | 2 / 8 |

Dammar resin
siccative
essential oils

CAS-Number
EINECS / ELINCS / NLP
EU index number
Customs tariff number
REACH registration No.
RTECS-no.
Hazchem-Code
CI-Number

10103 PW6, PW4
10105 PW4, PW6
10206 PW4, PY42, PR101
10207 PW4, PW6, PY53
10479 PB29, PB15:6, PW4
10486 PW4, PW6, PB29, PB15:3
10487 PW4, PB15:3, PB16
10495 PB60, PBk11, PW4
10529 PW4, PY184, PG18
10784 PW4, PW6, PY42, PBk10
10785 PW4, PW6, PBk10
10787 PW4, PW6, PY155, PV15
10790 PG18, PY42, PBk11, PW4
10792 PR101, PW4, PBk11

3.2 Mixtures

| Substance 1 | Substance 2 |
|--|---|
| solvent naphtha (petroleum), light, aromatic: 1-5 % CAS: 64742-95-6 REACH: 01-2119455851-35 Aquatic Chronic 2; H411 / Asp. Tox. 1; H304 / Flam. Liq. 3; H226 / STOT SE 3; H335 / STOT SE 3; H336 / EUH066 | zinc oxide: 2,5-25 % CAS: 1314-13-2 REACH: 01-2119463881-32-0043 Aquatic Acute 1; H400 / Aquatic Chronic 1; H410 |

Additional information

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

No special measures are required.

In case of inhalation

In case of skin contact

After eye contact

After swallowing

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Product is non-combustible. Extinguishing materials should therefore be selected according to surroundings.

Extinguishing media which must not be used for safety reasons

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

series 10 - MUSSINI (with zinc oxide pigments)

| | | | |
|-------------|----------------|-------------|----------|
| Article No. | | Issue date: | 07.03.17 |
| Version | 4 (01.03.17) | Page | 3 / 8 |

5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide and carbon dioxide

5.3 Advice for firefighters

Special protective equipment for firefighters

Additional information

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, and clothing.

6.2 environmental precautions

Discharge into the environment must be avoided.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

Take up mechanically. Wash spill area with plenty of water.

Additional information

6.4 Reference to other sections

Dispose of waste according to applicable legislation. refer to section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling

Handle in accordance with good industrial hygiene and safety practice.

Precautions against fire and explosion

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers

Keep container tightly closed.

Hints on joint storage

Storage class

Further details

storage temperature: 5 - 40 °C

7.3 Specific end use(s)

No special measures necessary if stored and handled as prescribed.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1314-13-2 zinc oxide

| | | | | |
|-----|--------|--------|-------------------|--------|
| DEU | E-dust | 1,250 | mg/m ³ | 4 (I) |
| DEU | | 10,000 | mg/m ³ | 2 (II) |

64742-95-6 solvent naphtha (petroleum), light, aromatic

| | | | | |
|-----|-----|---------|-------------------|----------|
| DEU | WEL | 100,000 | mg/m ³ | TRGS 900 |
|-----|-----|---------|-------------------|----------|

8.2 Exposure controls

Occupational exposure controls

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Hand protection

Protect skin by using skin protective cream.

Eye protection

Avoid contact with eyes.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

series 10 - MUSSINI (with zinc oxide pigments)

Article No.
Version

4 (01.03.17)

Issue date:
Page

07.03.17
4 / 8

Body protection

Wash contaminated clothing prior to re-use.

General protection and hygiene measures

No special handling advices are necessary. Wash hands thoroughly after handling.

SECTION 9: Physical and chemical properties

9.1 information on basic physical and chemical properties

Form pasty
Colour pigmented
Odour weak

min max

Initial boiling point and
boiling range

Melting point/freezing point

Flash point/flash point range

Flammability

Ignition temperature

Auto-ignition temperature

Explosion limits

Refraction index

Partition coefficient: n-octanol/water

Danger of explosion

Vapour pressure

Density 1,6 - 20 °C
3,1 g/ml

PH value

Viscosity dynamic of

Viscosity dynamic up to

Viscosity kinematic of

Viscosity kinematic up to

9.2 Other information

SECTION 10: Stability and reactivity

10.1 Reactivity

10.2 Chemical stability

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

frost and heat

10.5 Incompatible materials

10.6 Hazardous decomposition products

1314-13-2 zinc oxide

| | | | | | | |
|------------|------|-----|---|-----------|-------|------|
| oral | LD50 | Rat | > | 10000,000 | mg/kg | - |
| inhalative | LC50 | Rat | > | 5,700 | mg/l | (4h) |

64742-95-6 solvent naphtha (petroleum), light, aromatic

| | | | | | | |
|--------|------|-----|---|----------|-------|---|
| oral | LD50 | Rat | > | 2000,000 | mg/kg | - |
| dermal | LD50 | Rat | > | 2000,000 | mg/kg | - |

SECTION 11: Toxicological information

11.1 Information on toxicological effects

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

series 10 - MUSSINI (with zinc oxide pigments)

Article No. Issue date: 07.03.17
Version 4 (01.03.17) Page 5 / 8

Acute toxicity

In case of inhalation
No data available

After swallowing
No data available

In case of skin contact
No data available

After eye contact
No data available

Practical experience

General remarks

Toxicological tests

| | | | | | | | |
|------------|--|------|-------|---|--------|------|-------|
| 1314-13-2 | zinc oxide | EC50 | Algae | | 0,170 | mg/l | (72h) |
| 64742-95-6 | solvent naphtha (petroleum), light, aromatic | LC50 | fish | > | 10,000 | mg/l | - |
| | | LC50 | Algae | > | 10,000 | mg/l | - |

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

EC50 Desmodesmus subspicatus : >= 114,2 mg/l ... for all zinc oxide containing colours (Hydrotox; 05/2224)

Water Hazard Class 1

WGK catalog number

General information

12.2 Persistence and degradability

Further details

Product is partially biodegradable.

Oxygen demand

12.3 Bioaccumulative potential

Bioconcentration factor (BCF)

Partition coefficient: n-octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

General information

Ecotoxicological effects

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number

080112 080112 waste paint and varnish other than those mentioned in 080111

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

series 10 - MUSSINI (with zinc oxide pigments)

| | | | |
|-------------|----------------|-------------|----------|
| Article No. | | Issue date: | 07.03.17 |
| Version | 4 (01.03.17) | Page | 6 / 8 |

Recommendation

Contaminated packaging

Waste key number
Recommendation

Additional information

SECTION 14: Transport information

14.1 UN number

14.2 UN proper shipping name

ADR, ADN No dangerous good in sense of these transport regulations.
IMDG, IATA

14.3 Transport hazard class(es)

ADR, ADN
IMDG
IATA

14.4 Packing group

14.5 Environmental hazards

Marine Pollutant - IMDG
Marine Pollutant - ADN

14.6 Special precautions for user

Land transport

Code: ADR/RID
Kemmler-number
Hazard label ADR
Limited quantities
Contaminated packaging: Instructions
Contaminated packaging: Special provisions
Special provisions for packing together
Portable tanks: Instructions
Portable tanks: Special provisions
Tank coding
Tunnel restriction
Remarks
EQ
Special provisions

Inland waterway craft

Hazard label
Limited quantities
Transport permitted
Equipment necessary
Ventilation
Remarks
EQ
Special provisions

Sea transport

EmS
Special provisions
Limited quantities
Contaminated packaging: Instructions

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

series 10 - MUSSINI (with zinc oxide pigments)

Article No.
Version

4 (01.03.17)

Issue date: 07.03.17
Page 7 / 8

Contaminated packaging: Special provisions

IBC: Instructions

IBC: Provisions

Tank instructions IMO

Tank instructions UN

Tank instructions Special provisions

Stowage and segregation

Properties and observations

Remarks

EQ

Air transport

Hazard

Passenger

Passenger LQ

Cargo

ERG

Remarks

EQ

Special Provisioning

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Europe

Contents of VOC [%]

Contents of VOC

[g/L]

Further regulations, limitations and legal requirements

Germany

Storage class

Water Hazard Class 1

WGK catalog number

Incident regulation

Information on working limitations

Further regulations, limitations and legal requirements

Denmark

Further regulations, limitations and legal requirements

Hungary

Further regulations, limitations and legal requirements

Great Britain

Further regulations, limitations and legal requirements

Switzerland

Contents of VOC [%]

max. 5 %

Further regulations, limitations and legal requirements

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

series 10 - MUSSINI (with zinc oxide pigments)

Article No.
Version 4 (01.03.17)

Issue date: 07.03.17
Page 8 / 8

USA

Further regulations, limitations and legal requirements
Federal Regulations
State Regulations

Japan

Further regulations, limitations and legal requirements

Canada

Further regulations, limitations and legal requirements

15.2 Chemical Safety Assessment

SECTION 16: Other information

Further information

Hazard statements (CLP)

- H226 Flammable liquid and vapour.
- H304 May be fatal if swallowed and enters airways.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.

Further information

This information is based on our current state of knowledge and describes the security standards applicable to our product for the purpose provided. The information provided here does not constitute a legally binding warranty of specific characteristics or of suitability for a specific application use of the product is thus to be adapted to the user's special conditions and checked by preliminary tests. We are thus unable to guarantee product characteristics or accept a liability for damage arising in connection with the use of our products.

Literature

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Reason of change

Additional information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.