SAFETY DATA SHEET ULTRA CAST - RESIN

Compilation date: 26.10.2017

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: Kiss Cast Heat-Resistant Clear Artwork Hardener

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: Eli-Chem Resins (U.K) Ltd

Astra House, The Common, Cranleigh Surrey, GU6 8RZ, United Kingdom

Tel: +44(1483) 26 66 36 Email: sales@elichem.co.uk

1.4. Emergency telephone number

Emergency tel: + 44(0) 7711 669607

Section 2: Hazardous identification

2.1 Classification of the substance or mixture

Classification under CHIP: Xi: R36/38; Sens.: R43; N: R51/53

Classification under CLP: Aquatic Chronic 2: H411; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1:

H317

Most important adverse effects: Irritating to eyes and skin. May cause sensitisation by skin contact. Toxic

to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

2.2. Label elements

Label elements under CLP:

Hazard statements: H315: Causes skin irritation.

H317: May cause an allergic skin reaction. H319: Causes serious eye irritation.

H411: Toxic to aquatic life with long lasting effects.

Signal words: Warning

Hazard pictograms: GHS07: Exclamation mark GHS09: Environmental





Precautionary statements: P264: Wash hands thoroughly after handling.

P273: Avoid release to the environment.

P280: Wear protective gloves.

P305 + 351 + 338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P332 + 313: If skin irritation occurs: Get medical attention.

Label elements under CHIP:

Hazard symbols: Irritant.

Dangerous for the environment.

Risk phrases: R36/38: Irritating to eyes and skin.

R43: May cause sensitisation by skin contact.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

Safety phrases: S24: Avoid contact with skin.

S37: Wear suitable gloves.

S61: Avoid release to the environment. Refer to special instructions / safety

data sheets.

2.3. Other hazards

PBT: This substance is not identified as a PBT substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

BISPHENOL A- (EPICHLORHYDRIN) {REACTION PRODUCT}

EINECS	CAS	CHIP Classification	CLP Classification	Percent
500-033-5	25068-38-6	Xi: R36/38; Sens.: R43; N:	Eye Irrit. 2: H319; Skin Irrit.	>90%
		R51/53	2: H315; Skin Sens. 1: H317;	
			Aquatic Chronic 2: H411	

Section 4: First aid measures

4.1. Description of first aid measures

Eye Contact: In cases of contact, immediately flush eyes with plenty of water for at least 15

minutes. Get medical attention if irritation occurs.

Skin Contact: Wash skin thoroughly with soap and water or use recognized skin cleanser.

Remove contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention if symptoms

appear.

Inhalation: If inhaled, remove to fresh air. If breathing is difficult, give oxygen. If not

breathing, give artificial respiration. Get medical attention if symptoms

persist.

Ingestion: Do not induce vomiting unless directed to do so by medical personnel. Never

give anything by mouth to an unconscious person. If large quantities of this

material are swallowed, call a physician immediately.

No specific treatment, treat symptomatically.

Section 5: Fire-fighting measures

Flammability of the Product: May be combustible at high temperatures

Auto-ignition Temperature:Not availableFlash Points:> 200°CFlammable Limits:Not available

Products of Combustion: These products are carbon oxides (CO, Co₂.....).

Fire Hazards in Presence

of Various Substances: Slightly flammable to flammable in presence of open flame, sparks and static

discharge, of heat.

Explosion Hazards in Presence of Various

Substances: Non identified

Fire Fighting Media and

Instructions: In case of fire, use water spray (fog), foam, dry chemical, or CO₂.

Special protective

Equipment for fire-fighters: Fire-fighters should wear positive pressure self-contained breathing apparatus

(SCBA) and full turnout gear.

Special Remarks on Fire

Hazards: No additional remark.

Special Remarks on

Explosion Hazards: No additional remark.

Section 6: Accidental release measures

Personal precautions: Immediately contact emergency personnel. Keep unnecessary personnel away.

Use suitable protective equipment. Follow all fire fighting procedures.

Environmental Precautions and Clean-up Methods:

Minimize contact of spilled material with soils to prevent runoff to surface

waterways. See Section 13 for Waste Disposal Information.

If emergency personnel are unavailable, contain spilled material. For small spills add absorbent (soil may be used in the absence of other suitable materials) scoop up material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container

for disposal.

Section 7: Handling and storage

Handling: Wash thoroughly after handling. Use suitable protective equipment.

Storage: Keep container tightly closed. Keep container in a cool, well-ventilated area.

Packaging materials

Recommended: Use original container.

Section 8: Exposure controls/personal protection

Exposure Controls

Occupational exposure

Controls: Provide exhaust ventilation or other engineering controls to keep the airborne

concentrations of vapours below their respective occupational exposure limits. Ensure that eyewash stations and safety showers are proximal to the work-

station location.

Respiratory protection: A respirator is not needed under normal and intended conditions of product

use. Wear appropriate respirator when ventilation is inadequate.

Hand protection: Rubber gloves. Neoprene gloves.

Eye protection: Safety glasses. Goggles, face shield, or othe full-face protection if potential

exists for direct exposure to aerosols or splashes.

Skin protection: Additional body garments should be used based upon the task being

performed (e.g. sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Appropriate techniques should be used to remove potentially

contaminated clothing.

Personal protective Equipment (Pictograms):





Occupational exposure limits: n/a

Section 9: Physical and chemical properties

State: Liquid

Colour: Clear transparent
Odour: Mild odour

Viscosity: Free flowing liquid

Boiling point/range°C:>200Flash point°C:245Relative density: $1.1 - 1.15 \text{ g/cm}^3$ pH:7

Section 10: Stability and reactivity

Stability and Reactivity: The product is stable **Conditions of Instability:** Heat and cold below 0°C

Incompatibility with Various

Substances: Reactive with acids, strong bases, oxidising agents.

Hazardous Decomposition

Products: These products are carbon oxides (CO, CO_2), nitrogen oxides (NO, NO_2 ...)

Hazardous Polymerization: Will not occur under normal transport or storage conditions.

Section 11: Toxicological information

Potential Acute Health Effects

Inhalation: Avoid inhalation, use adequate ventilation.

Ingestion: Ingestion may cause gastrointestinal irritation and diarrhea. There may be

soreness and redness of the mouth and throat.

Skin contact: Irritating to skin. May cause sensitisation by skin contact.

Eye contact: Irritating to eyes.

Over-exposure signs/symptoms

Target Organs: Contains material, which causes damage to the following organs: lung,

cardiovascular system, skin, eye, lens or cornea.

Other adverse effects: None identified.

Section 12: Ecological information

Ecotoxicity Data

Ingredient Name Species Period Result

BOD and COD: Not available.

Biodegradable/OECD: Not biodegradable.

Mobility: Readily absorbed into soil.

Products of Degradation: These products are carbon oxides (CO, CO₂) and water, nitrogen oxides (NO,

NO₂...).

Toxicity of the Products

of Biodegradation: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment. The products of biodegradation are less toxic than the original

product.

Special Remarks on the

Products of Biodegradation: Not expected to bioaccumulate.

Section 13: Disposal considerations

Waste Disposal: Incinerate in a licensed high temperature hazardous waste incinerator. Dispose

of according to all federal, state and local applicable regulations.

Waste Stream: Not applicable.

Waste Code No: 070208

European Waste Catalogue (EWC): Not applicable.

Consult your local or regional authorities.

Section 14: Transport information

Regulatory Information	UN number	Proper shipping name	Class	Packing Group	Label	Additional information
ADR/RID/SABS 0228 Class	Not regulated					
IMDG Class	Not regulated					
IATA-DGR Class	Not regulated					

Section 15: Regulatory information

Hazard symbol(s):



rritant

Risk phrases: R36/38- Irritating to eyes and skin.

R43- May cause sensitisation by skin contact.

R51/53- Toxic to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

Safety phrases: S24- Avoid contact with skin.

S29- Do not empty into drains S37- Wear suitable gloves.

S46- If swallowed, seek medical advice immediately and show this container

or label.

Contains: Reaction product: bisphenol A-(epichlorhydrin) 500-033-5

Section 16: Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation

(EU) No 453/2010.

*indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and 3: H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H411: Toxic to aquatic life with long lasting effects.

R36/38: Irritating to eyes and skin.

R43: May cause sensitisation by skin contact.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

Notice to Reader: To the best of our knowledge, the information contained herein is accurate.

However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information

contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee

that these are the only hazards that exist.