

ÄTZGRUND

Page: 1

Compilation date: 30.08.2017

Revision No: 3

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: ÄTZGRUND

Product code: 751

Synonyms: ASPHALTABDECKLACK

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name:	HUBER GMBH
	Junkersring 15
	Troisdorf
	53844
Tel:	+49-(0)2241-23499-0
Fax:	+49-(0)2241-23499-10
Email:	info@huber-graphics.com
Linaii.	inio@nuber-glaphics.com

1.4. Emergency telephone number

Emergency tel: +49-(0)2241-23499-14

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture		
Classification under CLP:	Asp. Tox. 1: H304; Aquatic Chronic 2: H411; Flam. Liq. 3: H226; STOT SE 3: H335	
Most important adverse effects: Flammable liquid and vapour. May be fatal if swallowed and enters airways. May cause		
	respiratory irritation. Toxic to aquatic life with long lasting effects.	

2.2. Label elements

Label elements:

Hazard statements:H226: Flammable liquid and vapour.H304: May be fatal if swallowed and enters airways.H335: May cause respiratory irritation.H411: Toxic to aquatic life with long lasting effects.Hazard pictograms:GHS02: FlameGHS07: Exclamation markGHS08: Health hazardGHS09: Environmental



ÄTZGRUND

Signal words:DangerPrecautionary statements:P280: Wear protective gloves/protective clothing/eye protection/face protection.P301+310: IF SWALLOWED: Immediately call a POISON CENTER/doctor.P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.Rinse skin with water/shower.P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.P31: Do NOT induce vomiting.P370+378: In case of fire: Use to extinguish.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

LOW BOILING POINT NAPHTHA - UNSPECIFIED - SOLVENT NAPHTHA (PETROLEUM), LIGHT AROM.

EINECS	CAS	PBT / WEL	CLP Classification	Percent
265-199-0	64742-95-6	-	Asp. Tox. 1: H304; Flam. Liq. 3: H226; 5 STOT SE 3: H335; Aquatic Chronic 2: H411	

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Do not induce vomiting. Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

4.3. Indication of any immediate medical attention and special treatment needed

Section 5: Fire-fighting measures

Page: 2

ÄTZGRUND

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

6.4. Reference to other sections

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. The floor of the

storage room must be impermeable to prevent the escape of liquids.

7.3. Specific end use(s)

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC No data available.

ÄTZGRUND

8.2. Exposure controls

Engineering measures:Ensure there is sufficient ventilation of the area. The floor of the storage room must be
impermeable to prevent the escape of liquids.Respiratory protection:Self-contained breathing apparatus must be available in case of emergency.Hand protection:Protective gloves. Nitrile gloves. Breakthrough time of the glove material > 2 hours.Eye protection:Safety glasses. Ensure eye bath is to hand.Skin protection:Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Liquid		
Colour:	Black		
Odour:	Aromatic		
Oxidising:	Non-oxidising (by EC criteria)		
Solubility in water:	Not miscible		
Also soluble in:	Most organic solvents.		
Viscosity:	Non-viscous		
Kinematic viscosity:	<=20.5		
Viscosity test method:	Kinematic viscosity in 10-6 m2/s at 40°C (ISO 3104/3105)		
Boiling point/range°C:	>150	Melting point/range°C:	No data available.
Flammability limits %: lower:	0,8	upper:	7,0
Flash point°C:	23 - 55	Part.coeff. n-octanol/water:	No data available.
Autoflammability°C:	>450	Vapour pressure:	0,3 kPa
Relative density:	0,88 g/ml	pH:	Not applicable.
VOC g/l:	725		

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

Page: 4

ÄTZGRUND

					Page: 5	
	10.6. Hazardous decomposition products					
	Haz. decomp. products:	In combustion emits toxic fu	umes.			
Se	ection 11: Toxicological infor	mation				
	11.1. Information on toxicologi	cal effects				
	Hazardous ingredients:					
	LOW BOILING POINT NAPHT			-		
	ORL	RAT	LD50	8400	mg/kg	
	Toxicity values:	No data available.				
	Symptoms / routes of exposure	9				
	Skin contact:	There may be irritation and	redness at the site of c	ontact.		
	Eye contact:	There may be irritation and	redness. The eyes may	y water profusely.		
	Ingestion:	n : There may be soreness and redness of the mouth and throat.				
	Inhalation:	There may be irritation of th	ne throat with a feeling o	of tightness in the che	st. Exposure may	
		cause coughing or wheezin	g.			
Se	ection 12: Ecological informa	tion				
	12.1. Toxicity					
	Ecotoxicity values: No data available.					
	12.2. Persistence and degradability					
	Persistence and degradability:	Not biodegradable.				
	12.3. Bioaccumulative potentia	I				
	Bioaccumulative potential:	Bioaccumulation potential.				
	12.4. Mobility in soil	·				
	Mobility:	Readily absorbed into soil.				
12.5. Results of PBT and vPvB assessment						
	PBT identification: This product is not identified as a PBT/vPvB substance.					
	12.6. Other adverse effects					
		Toxic to aquatic organisms	Toxic to soil organisms	3		
Other adverse effects: Toxic to aquatic organisms. Toxic to soil organisms.						
Section 13: Disposal considerations			1			
	13.1. Waste treatment methods	6				
	Disposal operations:	Transfer to a suitable conta	iner and arrange for co	llection by specialised	l disposal	
		0000000				

company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

ÄTZGRUND

Page: 6

Section 14: Transport information

14.1. UN number

UN number: UN1993

14.2. UN proper shipping name

Shipping name: FLAMMABLE LIQUID, N.O.S.

(LOW BOILING POINT NAPHTHA - UNSPECIFIED - SOLVENT NAPHTHA (PETROLEUM), LIGHT AROM.)

14.3. Transport hazard class(es)

Transport class: 3

14.4. Packing group

Packing group: |||

14.5. Environmental hazards

Environmentally hazardous: Yes

14.6. Special precautions for user

Marine pollutant: No

Tunnel code: D/E

Transport category: 3

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

Section 16: Other information

Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	2015/830.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	H226: Flammable liquid and vapour.
	H304: May be fatal if swallowed and enters airways.
	H335: May cause respiratory irritation.
	H411: Toxic to aquatic life with long lasting effects.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product.