

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

## 50 903 - LINO-CLEAN

Article No.	50903027	LINO clean	Issue date:	04.06.20
Version	6	( 04.06.20 )	Page	1 / 8

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name 50 903 - LINO-CLEAN

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General use  
Products for creation of art.

Uses advised against

#### 1.3 Details of the supplier of the safety data sheet

H. Schmincke & Co. GmbH & Co. KG  
Otto-Hahn-Str. 2  
D - 40699 Erkrath  
Tel. +49 (0) 211-2509-0  
Fax. +49 (0) 211-2509-497  
info@schmincke.de  
www.schmincke.de

#### Department responsible for information

Schmincke-labor:  
mo-th 8.00-16.30, fr 8.00-13.30  
Tel. +49 (0) 211-2509-474  
labor@schmincke.de

#### 1.4 Emergency telephone number

**Emergency  
Information  
Phone #**

**Emergencycall Berlin  
(24h - counseling in german and english)  
+49 (0) 30-30686700**

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to EC regulation 1272/2008 (CLP)

Eye Irrit. 2; H319 Causes serious eye irritation.  
Flam. Liq. 3; H226 Flammable liquid and vapour.

#### 2.2 Label elements

##### Labelling



**Signal word** Warning

##### Hazard statements

H226 Flammable liquid and vapour.  
H319 Causes serious eye irritation.

##### Safety precautions

P102 Keep out of reach of children.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

## 50 903 - LINO-CLEAN

Article No.	50903027	LINO clean	Issue date:	04.06.20
Version	6	( 04.06.20 )	Page	2 / 8

lenses, if present and easy to do. Continue rinsing.

### Text for labelling (CLP)

### 2.3 Other hazards

## SECTION 3: Composition / information on ingredients

### 3.1 Substances

#### Chemical characterisation

Water  
Alcohol  
non-ionic surfactants  
  
CAS-Number  
EINECS / ELINCS / NLP  
EU index number  
REACH registration No.  
Hazchem-Code  
CI-Number

### 3.2 Mixtures

Substance 1
-------------

ethanol: 30 < 50 %  
CAS: 64-17-5  
REACH: 01-2119457610-43-XXXX

Eye Irrit. 2; H319 / Flam. Liq. 2; H225

#### Additional information

Regulation (EC) No. 648/2004 (Detergents regulation)  
5 < 15 % non-ionic surfactants

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

If you feel unwell, seek medical advice (show the label where possible).

#### In case of inhalation

Provide fresh air.  
Seek medical attention if problems persist.

#### In case of skin contact

Remove residues with soap and water.  
In case of skin irritation, consult a physician.

#### After eye contact

If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 10 - 15 minutes.  
Seek medical attention if irritation persists.

#### After swallowing

Rinse mouth with water.  
Seek medical treatment in case of troubles.

### 4.2 Most important symptoms and effects, both acute and delayed

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

## 50 903 - LINO-CLEAN

Article No.	50903027	LINO clean	Issue date:	04.06.20
Version	6	( 04.06.20 )	Page	3 / 8

No data available

### **4.3 Indication of any immediate medical attention and special treatment needed**

## SECTION 5: Firefighting measures

### **5.1 Extinguishing media**

#### **Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

#### **Extinguishing media which must not be used for safety reasons**

strong water jet

### **5.2 Special hazards arising from the substance or mixture**

In case of fire may be liberated: Carbon monoxide and carbon dioxide

### **5.3 Advice for firefighters**

#### **Special protective equipment for firefighters**

Use appropriate respiratory protection.

#### **Additional information**

## SECTION 6: Accidental release measures

### **6.1 Personal precautions, protective equipment and emergency procedures**

Avoid contact with skin, eyes, and clothing.

### **6.2 environmental precautions**

Discharge into the environment must be avoided.

### **6.3 Methods and material for containment and cleaning up**

#### **Methods for cleaning up**

Collect spilled material using paper towels and dispose.

#### **Additional information**

### **6.4 Reference to other sections**

Dispose of waste according to applicable legislation.

## SECTION 7: Handling and storage

### **7.1 Precautions for safe handling**

#### **Advices on safe handling**

Handle in accordance with good industrial hygiene and safety practice.

#### **Precautions against fire and explosion**

No special measures are required.

### **7.2 Conditions for safe storage, including any incompatibilities**

#### **Requirements for storerooms and containers**

Store in a well-ventilated place. Keep container tightly closed. Keep away from sources of ignition and heat.

#### **Hints on joint storage**

#### **Storage class**

#### **Further details**

Protect from frost and exposure to sun.

### **7.3 Specific end use(s)**

## SECTION 8: Exposure controls/personal protection

### **8.1 Control parameters**

64-17-5 ethanol

DEU	WEL	200,000	mL/m <sup>3</sup>	-
DEU	WEL	380,000	mg/m <sup>3</sup>	2(II); DGF; Y

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

## 50 903 - LINO-CLEAN

Article No.	50903027	LINO clean	Issue date:	04.06.20
Version	6	( 04.06.20 )	Page	4 / 8

USA	PEL (US)	1.000,000	ppm	8h (long term)
USA	PEL (US)	1.900,000	mg/m <sup>3</sup>	8h (long term)

### 8.2 Exposure controls

#### Occupational exposure controls

##### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.  
Respiratory protection must be worn whenever the WEL levels have been exceeded.  
Combination filtering device (EN 14387) Use filter type A (= against vapours of organic substances)

##### Hand protection

Qualified materials: Butyl caoutchouc (butyl rubber)  
Layer thickness > 0,5 mm  
Breakthrough time > 480 min  
Butoflex 650 - MAPA GmbH, Industriestraße 21- 25, D-27404 Zeven, Internet: www.mapa-pro.de  
All information was derived in accordance with EU directive 89/686/EWG and the resultant EN 374 in cooperation with MAPA GmbH. This recommendation applies exclusively to the product and use named in Section 1. In the event of commingling or deviating conditions, contact the suppliers of CE-approved gloves.

##### Eye protection

Goggles

##### Body protection

Wear suitable protective clothing.

##### General protection and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands thoroughly after handling.

## SECTION 9: Physical and chemical properties

### 9.1 information on basic physical and chemical properties

Form	liquid
Colour	colourless, clear
Odour	weak alcoholic

	min	max	
Initial boiling point and boiling range	100 °C	100 °C	
Melting point/freezing point			
Flash point/flash point range	24 °C	26 °C	
Flammability			
Ignition temperature			
Auto-ignition temperature			
Explosion limits	3,5	15 Vol%	
Refraction index			
PH value			
Viscosity			
Viscosity			
Vapour pressure			
Density		0,93 g/ml	20 °C
Partition coefficient: n-octanol/water			

Danger of explosion

### 9.2 Other information

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Product is stable under normal storage conditions.

### 10.2 Chemical stability

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

## 50 903 - LINO-CLEAN

Article No.	50903027	LINO clean	Issue date:	04.06.20
Version	6	( 04.06.20 )	Page	5 / 8

### 10.3 Possibility of hazardous reactions

### 10.4 Conditions to avoid

Protect from frost and exposure to sun.

### 10.5 Incompatible materials

### 10.6 Hazardous decomposition products

Hazardous vapours may form during fires.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Toxicological tests

64-17-5 ethanol

oral	LD50	Rat		10470,00000	mg/kg	-
inhalative	LC50	Rat		38,00000	mg/L	(4h)
inhalative	LC50	Mouse	>	20,00000	mg/L	(4h)
dermal	LD50	Rabbit	>	2000,00000	mg/kg	-

#### Acute toxicity

No data available

#### In case of inhalation

No data available

#### After swallowing

No data available

#### In case of skin contact

No data available

#### After eye contact

No data available

### Practical experience

### General remarks

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Ecotoxicological effects

64-17-5 ethanol

LC50	Leuciscus idus			8140,00000	mg/L	48h
EC50	Chlorella vulgaris			275,00000	mg/L	(72h)
EC50	Daphnia magna	>		10000,00000	mg/L	48h

#### Aquatic toxicity

No data available

#### Water Hazard Class

2

#### WGK catalog number

#### General information

### 12.2 Persistence and degradability

#### Further details

Product is partially biodegradable.

#### Oxygen demand

### 12.3 Bioaccumulative potential

#### Bioconcentration factor (BCF)

Partition coefficient: n-octanol/water

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

## 50 903 - LINO-CLEAN

Article No.	50903027	LINO clean	Issue date:	04.06.20
Version	6	( 04.06.20 )	Page	6 / 8

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

No data available

### 12.6 Other adverse effects

General information

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Waste key number

080112 080111\* waste paint and varnish containing organic solvents or other dangerous substances

Recommendation

#### Contaminated packaging

Waste key number

Recommendation

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

#### Additional information

## SECTION 14: Transport information

### 14.1 UN number

1170

### 14.2 UN proper shipping name

ADR, ADN ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

IMDG, IATA ETHANOL SOLUTION

### 14.3 Transport hazard class(es)

ADR, ADN 3

IMDG 3

IATA 3

### 14.4 Packing group

III

### 14.5 Environmental hazards

Marine Pollutant - IMDG No

### 14.6 Special precautions for user

#### Land transport (ADR/RID)

Code: ADR/RID F1

Kemmler-number 30

Hazard label ADR 3

Limited quantities 5L

Contaminated packaging: Instructions P001 - IBC03 - LP01 - R001

Contaminated packaging: Special provisions -

Special provisions for packing together MP19

Portable tanks: Instructions T2

Portable tanks: Special provisions TP1

Tank coding LGBF

Tunnel restriction D/E

Remarks

EQ E1

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

## 50 903 - LINO-CLEAN

Article No.	50903027	LINO clean	Issue date:	04.06.20
Version	6	( 04.06.20 )	Page	7 / 8

Special provisions 144 - 601

### Sea transport (IMDG)

EmS F-E, S-D  
Special provisions 144 - 223  
Limited quantities 5L  
Contaminated packaging: Instructions P001 - LP01  
Contaminated packaging: Special provisions -  
IBC: Instructions IBC03  
IBC: Provisions -  
Tank instructions IMO -  
Tank instructions UN T2  
Tank instructions Special provisions TP1  
Stowage and segregation category A  
Properties and observations  
Remarks  
EQ E1

### Air transport (IATA-DGR)

Hazard Flammable Liquid  
Passenger 355 (60L)  
Passenger LQ Y344 (10L)  
Cargo 366 (220L)  
ERG 3L  
Remarks  
EQ E1  
Special Provisioning A58 - A180

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

##### Europe

Contents of VOC [%]  
Contents of VOC  
[g/L]  
Further regulations, limitations and legal requirements

##### Germany

Storage class  
Water Hazard Class 2  
WGK catalog number  
Incident regulation  
Information on working limitations  
Further regulations, limitations and legal requirements

##### Denmark

Further regulations, limitations and legal requirements

##### Hungary

Further regulations, limitations and legal requirements

##### Great Britain

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

## 50 903 - LINO-CLEAN

Article No.	50903027	LINO clean	Issue date:	04.06.20
Version	6	( 04.06.20 )	Page	8 / 8

Further regulations, limitations and legal requirements

### Switzerland

Contents of VOC [%]  
< 49 %

Further regulations, limitations and legal requirements

### USA

Further regulations, limitations and legal requirements  
Federal Regulations  
State Regulations

### Japan

Further regulations, limitations and legal requirements

### Canada

Further regulations, limitations and legal requirements

## 15.2 Chemical Safety Assessment

## SECTION 16: Other information

### Further information

#### Hazard statements (CLP)

H225 Highly flammable liquid and vapour.  
H226 Flammable liquid and vapour.  
H319 Causes serious eye irritation.

#### Further information

This information is based on our current state of knowledge and describes the security standards applicable to our product for the purpose provided. The information provided here does not constitute a legally binding warranty of specific characteristics or of suitability for a specific application use of the product is thus to be adapted to the user's special conditions and checked by preliminary tests. We are thus unable to guarantee product characteristics or accept an liability for damage arising in connection with the use of our products.

#### Literature

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

#### Reason of change

#### Additional information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.