

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Revision date: 09/11/2021 Supersedes version of: 14/02/2017 Version: 5.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

: WINSOR & NEWTON PROFESSIONAL SATIN VARNISH SPRAY Trade name

: Trade product **Product group** 

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public

Industrial/Professional use spec : Industrial

For professional use only

#### 1.2.2. Uses advised against

No additional information available

# 1.3. Details of the supplier of the safety data sheet

#### **Supplier**

COLART EUROPE SAS SAS 5 rue René Panhard 72021 Le Mans Cedex 2 72021 LeMans

France

T+44 208 424 3270 r.enquiries@colart.co.uk

#### Distributor

**COLART UKLTD** Goldthorn Road

DY11 7JN Kidderminster - Worcestershire

United Kingdom T+44 (0) 2084243200

r.enquiries@colart.co.uk

# Distributor

**JASCO** 

1-5 Commercial Road Kingsgrove +61- NSW 2208 New South Wales

T 029807 1555

#### Other

Colart International Holdings LTD The MediaWorks Building 191 Wood Lane

GB-W127FP London - London

United Kingdom T 02084243200

r.enquiries@colart.co.uk

#### Distributor

Jasco Pty (NZ) Limited

5 Airpark Drive, Airport Oaks, Auckland Airport Auckland

P.O. Box 107010

### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Australia	NSW Poisons Information Centre The Children's Hospital at Westmead	Locked Bag 4001 NSW 2145 Westmead	13 11 26	
New Zealand	New Zealand National Poison Centre Duned in School of Medicine, University of Otago	PO Box 56 Dunedin 9054	0800 764 766 (0800 POISON)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229
Skin corrosion/irritation, Category 2 H315
Specific target organ toxicity — Repeated exposure, Category 1 H372
Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS07

GHS08

Signal word (CLP) : Danger

Contains : STODDARD SOLVENT

Hazard statements (CLP) : H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated.

H315 - Causes skin irritation.

 $H372 - Causes\ damage\ to\ organs\ through\ prolonged\ or\ repeated\ exposure.$ 

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, open flames, sparks. — No smoking.

P251 - Pressurized container: Do not pierce or burn, even after use.

P261 - Avoid breathing spray, vapours.

P271 - Use only outdoors or in a well-ventilated area.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

 $accordance\ with\ local,\ regional,\ national\ and/or international\ regulation.$ 

Extra phrases : Contains propellant: Di-methy ether. Warning use only as directed. Intential misuseby

delibrately concentrating and inhaling contents can be harmful or fatal.

Child-resistant fastening : Applicable Tactile warning : Applicable

### 2.3. Other hazards

No additional information available

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Notapplicable

#### 3.2. Mixtures

Name	Product identifier		Classification according to Regulation (EC) No. 1272/2008 [CLP]
Solvent naphtha (petroleum), light aliph.	CAS-No.: 64742-89-8 EC-No.: 265-192-2	5 – 10	Asp. Tox. 1, H304

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Xylene substance with a Community workplace exposure limit	CAS-No.: 1330-20-7 EC-No.: 215-535-7 EC Index-No.: 601-022-00-9 REACH-no: 01-2119488216- 32	1-3	Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Asp. Tox. 1, H304 STOT SE 3, H335 Eye Irrit. 2, H319 Aquatic Chronic 3, H412
Hydrocarbons, C11-14, n-alkanes, isoalkanes, cyclics, <2% aromatics	CAS-No.: 64742-47-8 EC-No.: 265-149-8 REACH-no: 01-2119456620- 43	1 – 3	Flam. Liq. 3, H226 Asp. Tox. 1, H304
STODDARD SOLVENT	CAS-No.: 8052-41-3 EC-No.: 232-489-3	1 – 3	Flam. Liq. 3, H226 STOT RE 1, H372 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Toluene	CAS-No.: 108-88-3 EC-No.: 203-625-9	0.1 – 1	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Repr. 2, H361 STOT RE 2, H373 Asp. Tox. 1, H304 Aquatic Chronic 3, H412

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (showthe label where possible).

First-aid measures after in halation : Cough. Remove person to fresh air and keep comfortable for breathing. Call a POISON

CENTER/doctor if you feel unwell.

First-aid measures after skin contact : Wash with plenty of water/.... Wash contaminated clothing before reuse. If skin irritation

occurs: Get medical advice/attention. Specific treatment (see supplemental first aid in struction on this label). Repeated exposure may cause skin dryness or cracking.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Direct contact with the eyes is likely to be

irritating. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation

persists: Get medical advice/attention.

First-aid measures after in gestion : Rinse mouth. Do NOT induce vo miting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes damage to organs through prolonged or repeated exposure.

Symptoms/effects after inhalation : Shortness of breath. May cause respiratory irritation.

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after eye contact : Causes serious eye irritation.

# 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

09/11/2021 (Revision date) GB - en 3/13

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Unsuitable extinguishing media : Do not use a heavy water stream.

# 5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol.

Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of

burns and injuries.

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment. DO NOT fight fire

when fire reaches explosives. Evacuate area.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk.

Remove ignition sources. Use special care to avoid static electric charges.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Store away from other materials.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

#### **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Additional hazards when processed : Hazardous wastedue to potential risk of explosion. Do not pierce or burn, even after use.

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source. Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area.

Do not breath e dust/fume/gas/mist/vapours/spray.

Hygiene measures : Wash hands, foreams and face thoroughly after handling. Do not eat, drink or smoke when

using this product.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from: Do not expose to temperatures exceeding 50 °C/122 °F. Keep in fireproof place. Keep container tightly

closed.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

#### 7.3. Specific end use(s)

No additional information available

09/11/2021 (Revision date) GB - en 4/13

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

# 8.1.1 National occupational exposure and biological limit values

	<del></del>	
Xylene (1330-20-7)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Xylene, mixed isomers, pure	
IOELTWA[ppm]	50 ppm	
IOEL STEL	442 mg/m³	
IOEL STEL [ppm]	100 ppm	
Remark	Skin	
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC	
France - Occupational Exposure Limits		
Local name	Xylène: mélange d'isomères	
VME (OELTWA)	221 mg/m³	
VME (OELTWA) [ppm]	50 ppm	
VLE (OEL C/STEL)	442 mg/m³	
VLE (OEL C/STEL) [ppm]	100 ppm	
Remark	Valeurs règlementaires contraignantes; risque de pénétration percutanée	
Regulatory reference	Article R4412-149 du Code du travail (réf.: INRS ED 984, 2016; Décret n° 2019-1487)	
Germany - Occupational Exposure Limits (TRGS 90	00)	
Local name	Xylol (alle Isomeren)	
AGW (OELTWA) [1]	220 mg/m³	
AGW (OELTWA) [2]	50 ppm	
Peak exposure limitation factor	2(II)	
Remark	DFG;EU;H	
Regulatory reference	TRGS900	
Germany - Biological limit values (TRGS 903)		
Local name	Xylol (alle Isomere)	
Biological limit value	2000 mg/l Parameter: Methylhippur-(Tolur-) säure (alle Isomere) - Untersuchungsmaterial: U = Urin - Probenahmezeitpunkt: b) Expositionsende, bzw. Schichtende - Festlegung/Begründung: 11/2016 DFG	
Regulatory reference	TRGS 903	
United Kingdom/Australia/New Zealand - Occupational Exposure Limits		
Local name	Xylene	
WELTWA (OELTWA) [1]	220 mg/m³ o-,m-,p- or mixed isomers	
WELTWA (OELTWA) [2]	50 ppm o-,m-,p- or mixed isomers	
WELSTEL (OELSTEL)	441 mg/m³ o-,m-,p- or mixed isomers	
WEL STEL (OEL STEL) [ppm]	100 ppm o-,m-,p- or mixed isomers	
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Xylene (1330-20-7)		
Regulatory reference EH40/2005 (Fourth edition, 2020). HSE		
United Kingdom/ Australia / New Zealand - Biological limit values		
Local name Xylene, o-, m-, p- or mixed isomers		
BMGV 650 mmol/mol Creatinine Parameter: methyl hippuric acid - Medium: urine - Samplin time: Post shift		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

No additional information available

#### 8.2.2. Personal protection equipment

# Personal protective equipment:

Avoid all unnecessary exposure.

#### 8.2.2.1. Eye and face protection

# Eye protection:

Chemical goggles or safety glasses

#### 8.2.2.2. Skin protection

### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Wear protective gloves.

## 8.2.2.3. Respiratory protection

#### Respiratory protection:

Wearappropriatemask

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Other information:

Do not eat, drink or smoke during use.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Colourless.
Appearance : Liquid.
Odour : characteristic.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Odour threshold : Not available
Melting point : Not available
Freezing point : Not available
Boiling point : Not available
Not available

Flammability : Non flammable, Extremely flammable aerosol.

**Explosive limits** : Not available Lower explosive limit (LEL) : Not available Upper explosive limit (UEL) : Not available Flash point : 41 °C Auto-ignition temperature > 250 °C Decomposition temperature Not available Not available pΗ Viscosity, kinematic ≈ 134 mm²/s Solubility Not available Partition coefficient n-octanol/water (Log Kow) Not available Vapour pressure Not available Not available Vapour pressure at 50 °C Not available Density Not available Relative density Relative vapour density at 20 °C Not available **Not applicable** Particle size Particle size distribution **Not applicable** Particle shape **Not applicable** Particle aspect ratio Not applicable **Not applicable** Particle aggregation state **Not applicable** Particle agglomeration state Particle specific surface area **Not applicable** 

#### 9.2. Other information

Particle dustiness

# 9.2.1. Information with regard to physical hazard classes

No additional information available

### 9.2.2. Other safety characteristics

No additional information available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No additional information available

## 10.2. Chemical stability

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

: Not applicable

# 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

# 10.5. Incompatible materials

Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 11: Toxicological information			
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008			
Acute toxicity (oral) : Acute toxicity (dermal) : Acute toxicity (inhalation) :	Not classified Not classified Not classified		
Toluene (108-88-3)			
LD50 oral rat	5580 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EU Method B.1 (Acute Toxicity (Oral)), 95% CL: 5300 - 5910		
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit, Animal sex: male, 95% CL: 9,63 - 20,77		
Xylene (1330-20-7)			
LD50 dermal rabbit	12126 mg/kg bodyweight Animal: rabbit, Animal sex: male		
Solvent naphtha (petroleum), light aliph. (647	42-89-8)		
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)		
Hydrocarbons, C11-14, n-alkanes, isoalkanes	, cyclics, <2% aromatics (64742-47-8)		
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 798.1175 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)		
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: EPA OTS 798.1100 (Acute Dermal Toxicity), Guideline: OECD Guideline 402 (Acute Dermal Toxicity)		
LC50 Inhalation - Rat	> 5.28 mg/l air Animal:rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), 95% CL: 0,42 -		
Skin corrosion/irritation  Additional information  Serious eye damage/irritation  Respiratory or skin sensitisation  Additional information  Germ cell mutagenicity  Additional information  Carcinogenicity  Additional information  Reproductive toxicity  Additional information  Reditional information  Reditional information  Reditional information	Causes skin irritation. Repeated exposure may cause skin dryness or cracking. Not classified Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met		
Hydrocarbons, C11-14, n-alkanes, isoalkanes			
NOAEL (animal/male, F0/P) STOT-single exposure :  Xylene (1330-20-7)	≥ 3000 mg/kg bodyweight Animal: rat, Animal sex: male  Not classified		
STOT-single exposure	May cause respiratory irritation.		
STOT-repeated exposure :	Causes damage to organs through prolonged or repeated exposure.		
Toluene (108-88-3)			
LOAEL (oral, rat, 90 days)	1250 mg/kg bodyweight Animal: rat, Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)		
NOAEL (oral, rat, 90 days)	625 mg/kg bodyweight Animal: rat, Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)		
NOAEC (inhalation, rat, vapour, 90 days)	2.355 mg/l air Animal: rat, Guideline: EU Method B.29 (Sub-Chronic Inhalation Toxicity:90-Day Study)		
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.		

09/11/2021 (Revision date) GB - en 8/13

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Xylene (1330-20-7)		
LOAEL (oral, rat, 90 days)	150 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents), Guideline: EPA OPP 82-1 (90-Day Oral Toxicity)	
Hydrocarbons, C11-14, n-alkanes, isoalkanes	cyclics, <2% aromatics (64742-47-8)	
NOAEL (oral, rat, 90 days)	750 mg/kg bodyweight Animal: rat, Animal sex: female	
NOAEC (inhalation, rat, vapour, 90 days)	≥ 0.024 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)	
STODDARD SOLVENT (8052-41-3)		
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.	
	Not classified Based on available data, the classification criteria are not met	
WINSOR & NEWTON PROFESSIONAL SATIN VARNISH SPRAY		
Viscosity, kinematic	≈ 134 mm²/s	

#### 11.2. Information on other hazards

## 11.2.1. Endocrine disrupting properties

No additional information available

#### 11.2.2. Other information

 $Potential\ adverse human\ health\ effects\ and$ 

symptoms

: Based on available data, the classification criteria are not met

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - water : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Harmful to aquatic life with long lasting effects.

(chronic)

Toluene (108-88-3)		
LC50 - Fish [1]	5.5 mg/l Test organisms (species): Oncorhynchus kisutch	
LOEC (chronic)	2.76 mg/l Test organisms (species): Ceriodaphnia dubia Duration: '7 d'	
NOEC (chronic)	0.74 mg/l Test organisms (species): Ceriodaphnia dubia Duration: '7 d'	
NOEC chronic fish	1.39 mg/l Test organisms (species): Oncorhynchus kisutch Duration: '40 d'	
Xylene (1330-20-7)		
LC50 - Fish [1]	2.6 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 - Crustacea [1]	> 3.4 mg/l Test organisms (species): Ceriodaphnia dubia	
NOEC chronic fish	> 1.3 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '56 d'	

## 12.2. Persistence and degradability

WINSOR & NEWTON PROFESSIONAL SATIN VARNISH SPRAY	
Persistence and degradability	May cause long-term adverse effects in the environment.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## 12.3. Bioaccumulative potential

#### **WINSOR & NEWTON PROFESSIONAL SATIN VARNISH SPRAY**

Bio accumulative potential Not established.

## 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

Additional information : Avoid release to the environment.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Container under

pressure. Do not drill or burn even after use. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or

international regulation.

Additional information : Flammable vapours may accumulate in the container.

Ecology - waste materials : Avoid release to the environment.

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	
14.1. UN number or ID number				
UN 1263	UN 1263	UN 1263	Notapplicable	
14.2. UN proper shipping nam	e			
Notapplicable	Notapplicable	Notapplicable	Notapplicable	
Transport document description				
UN 1263	UN 1263	UN 1263	Notapplicable	
14.3. Transport hazard class(es)				
Notapplicable	Not applicable	Not applicable	Notapplicable	
14.4. Packing group				
Notapplicable	Not applicable	Notapplicable	Notapplicable	
14.5. Environmental hazards				
Dangerous for the environment No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Not applicable	
No supplementary information available				

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 14.6. Special precautions for user

#### Overland transport

No data available

#### Transport by sea

No data available

#### Air transport

No data available

## Inland waterway transport

Not applicable

# 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organicpollutants

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

#### 15.1.2. National regulations

France	
Occupational diseases	
Code	Description
RG 4 BIS	Gastrointestinal disorders caused by benzene, to luene, xylenes and all products containing them
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

#### Germany

Water hazard class (WGK) : WGK3, Highly hazardous to water (Classification according to AwSV, Annex1)

Hazardous Incident Ordinance (12. BlmSchV) : Is not subject of the Hazardous Incident Ordinance (12. BlmSchV)

**Netherlands** 

SZW-lijst van kankerverwekkende stoffen : Solvent naphtha (petroleum), light aliph., Hydrocarbons, C11-14, n-alkanes, isoalkanes,

cyclics, <2% aromatics, STODDARD SOLVENT are listed

SZW-lijst van mutagene stoffen Solvent naphtha (petroleum), light aliph., Hydrocarbons, C11-14, n-alkanes, isoalkanes,

cyclics, <2% aromatics, STODDARD SOLVENT are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding

: None of the components are listed SZW-lijst van reprotoxische stoffen -: None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling

: Toluene, Xylene are listed

**Denmark** 

Class for fire hazard : Class II-1

09/11/2021 (Revision date) GB - en 11/13

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Store unit

Classification remarks : R10 <H222;H229;H315;H372;H412>; Emergency management guidelines for the storage of

flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

: 5 liter

The requirements from the Danish Working Environment Authorities regarding work with

carcinogens must be followed during use and disposal

Switzerland

Storage class (LK) : LK 2 - Liquefied or pressurized gases

CH - VOC (SR 814.018) : 43.71214738296656 %

United Kingdom/Australia/New Zealand

Other information

 $: \ \, \text{This SDS} \, \text{is prepared in accordance with the model Code of Practice for the Preparation of} \, \\$ 

Safety Data Sheets for Hazardous Chemicals.

Please read instructions/label before using product.

**EMERGENCY CONTACTS** 

Jasco Pty Ltd : 02 9807 1555

Police and Fire Brigade : 000
Poisons information centre : 13 11 26
Safety Data Sheet applicable regions : Australia

This SDS is prepared in accordance with the model Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals. Supplied as permitted by New Zealand

regulations; EPA Hazardous Substances (Safety Data Sheet) notice.

Please read instructions/label before using product.

**EMERGENCY CONTACTS** 

Jasco Pty Ltd : 02 9807 1555

Poisons information centre : 0800 764 766 (0800 POISON)

Safety Data Sheet applicable regions : New Zealand.

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:			
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4		
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2		
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3		
Asp. Tox. 1	Aspiration hazard, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Liq. 2	Flammable liquids, Category 2		
Flam. Liq. 3	Flammable liquids, Category 3		
H222	Extremely flammable aerosol.		
H225	Highly flammable liquid and vapour.		

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:			
H226	Flammable liquid and vapour.		
H229	Pressurised container: May burst if heated.		
H304	May be fatal if swallowed and enters airways.		
H312	Harmful in contact with skin.		
H315	Causes skin irritation.		
H319	Causes serious eye irritation.		
H332	Harmful if inhaled.		
H335	May cause respiratory irritation.		
H361	Suspected of damaging fertility or the unbom child.		
H372	Causes damage to organs through prolonged or repeated exposure.		
H373	May cause damage to organs through prolonged or repeated exposure.		
H411	Toxic to aquatic life with long lasting effects.		
H412	Harmful to aquatic life with long lasting effects.		
Repr. 2	Reproductive toxicity, Category 2		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
STOT RE 1	Specific target organ to xicity — Repeated exposure, Category 1		
STOT RE 2	Specific target organ to xicity — Repeated exposure, Category 2		
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation		

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:				
Aerosol1	H222;H229	Expert judgment		
Skin Irrit. 2	H315	Expert judgment		
STOT RE 1	H372	Expert judgment		
Aquatic Chronic3	H412	Expert judgment		

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.