

## CERNIT ALCOHOL INK

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 - Product identifier

Trade name/designation CERNIT ALCOHOL INK

Chemical name

Product-type Mixture

UFI: J800-N0MR-F007-TP6P

#### 1.2 - Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses - Paint for artists

#### 1.3 - Details of the supplier of the safety data sheet

The Clay and Paint Factory S.A.

Rue du Dossay 3

4020 WANDRE Belgium

Telephone : +32 4 362 19 90

Website [www.clay-and-paint.com](http://www.clay-and-paint.com)

Julien Desmaré: +32 4 345 99 64 [j.desmare@clay-and-paint.com](mailto:j.desmare@clay-and-paint.com)

#### 1.4 - Emergency telephone number

### SECTION 2: Hazards identification

#### 2.1 - Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Flam. Liq. 2	Flammable liquid and vapour. - Category 2
Eye Irrit. 2	Eye irritation - Category 2

#### 2.2 - Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word : Danger

Hazard pictograms



Hazard statements

H225	Highly flammable liquid and vapour
H319	Causes serious eye irritation

Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403+P235	Store in a well-ventilated place. Keep cool.
EUH-phrases	: None

## CERNIT ALCOHOL INK

### 2.3 - Other hazards

PBT-substance. - This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

vPvB-substance. - This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

## SECTION 3: Composition / information on ingredients

### 3.1 - Substances

Not applicable

### 3.2 - Mixtures

Chemical name	No	%	Class	Spec. concentrations
ethanol	CAS No. : 64-17-5 Index No. : 603-002-00-5 EC No. : 200-578-6	70 - 80	Eye Irrit. 2 - H319 Flam. Liq. 2 - H225	Not applicable
2-(propyloxy)ethanol, EGPE	CAS No. : 2807-30-9 Index No. : 603-095-00-2 EC No. : 220-548-6	8 - 14	Acute Tox. 4 Dermal - H312 Eye Irrit. 2 - H319	Not applicable
propan-2-ol, isopropyl alcohol, isopropanol	CAS No. : 67-63-0 Index No. : 603-117-00-0 EC No. : 200-661-7	2 - 4	Eye Irrit. 2 - H319 Flam. Liq. 2 - H225 STOT SE 3 (H336) - H336	Not applicable

## SECTION 4: First aid measures

### 4.1 - Description of first aid measures

Following inhalation - Provide fresh air.

Following skin contact - Wash immediately with: Water  
- When in doubt or if symptoms are observed, get medical advice.

After eye contact - Rinse immediately carefully and thoroughly with eye-bath or water.  
- In case of eye irritation consult an ophthalmologist.

After ingestion - Rinse mouth thoroughly with water.

### 4.2 - Most important symptoms and effects, both acute and delayed

Symptoms and effects - Following inhalation - No information available.

Symptoms and effects - Following skin contact - No information available.

Symptoms and effects - After eye contact - Causes eye irritation.

Symptoms and effects - After ingestion - No information available.

### 4.3 - Indication of any immediate medical attention and special treatment needed

- Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 - Extinguishing media

---

## CERNIT ALCOHOL INK

---

Suitable extinguishing media

- ABC-powder
- Carbon dioxide (CO<sub>2</sub>)
- Foam
- Extinguishing powder

Unsuitable extinguishing media

- Full water jet

### 5.2 - Special hazards arising from the substance or mixture

Special hazards arising from the substance or mixture

- No information available.

Hazardous decomposition products

- No information available.

### 5.3 - Advice for firefighters

- Wear a self-contained breathing apparatus and chemical protective clothing.
- Move undamaged containers from immediate hazard area if it can be done safely.

---

## SECTION 6: Accidental release measures

---

### 6.1 - Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

- Use personal protection equipment.
- Provide adequate ventilation.
- Remove all sources of ignition.

For emergency responders

- Wear personal protection equipment (refer to section 8).

### 6.2 - Environmental precautions

- Do not allow to enter into surface water or drains.

### 6.3 - Methods and material for containment and cleaning up

Methods and material for containment

- Collect in closed and suitable containers for disposal.

Methods and material for cleaning up

- Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).
- Wash with plenty of water.

Inappropriate techniques

- No information available.

### 6.4 - Reference to other sections

- Disposal: see section 13
- Personal protection equipment: see section 8

---

## SECTION 7: Handling and storage

---

### 7.1 - Precautions for safe handling

Recommendation

- Avoid: Eye contact
- Vapours can form explosive mixtures with air.
- When using do not smoke.
- Use only in well-ventilated areas.

Advices on general occupational hygiene

- When using do not eat, drink, smoke, sniff.

## CERNIT ALCOHOL INK

- Wash hands before breaks and after work.
- Use only in well-ventilated areas.

### 7.2 - Conditions for safe storage, including any incompatibilities

- Storage class Flammable liquids
- Keep container tightly closed and in a well-ventilated place.
- Do not store together with: Combustible substance
- Protect against: Heat

### 7.3 - Specific end use(s)

## SECTION 8: Exposure controls/personal protection

### 8.1 - Control parameters

### 8.2 - Exposure controls

Appropriate engineering controls - No information available.

Individual protection measures, such as personal protective equipment - Suitable eye protection: Eye glasses with side protection

- Suitable protective clothing: lab coat



## SECTION 9: Physical and chemical properties

### 9.1 - Information on basic physical and chemical properties

<u>Physical state</u>	Liquid	<u>Appearance</u>	Liquid
<u>Colour</u>		<u>Odour</u>	Alcool
Odour threshold		No data available	
pH		No data available	
Melting point		No data available	
Freezing point		No data available	
Boiling point		76 °C	
Flash point		21,5 °C	
Evaporation rate		No data available	
flammability		No data available	
Lower explosion limit		No data available	
Upper explosion limit		No data available	
Vapour pressure		No data available	
Vapour density		No data available	
Relative density		No data available	
Density		No data available	
Solubility (Water)		No data available	
Solubility (Ethanol)		No data available	

## CERNIT ALCOHOL INK

Solubility (Acetone)	No data available
Solubility (Organic solvents)	No data available
Log KOC	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Kinematic viscosity	No data available
Dynamic viscosity	No data available

### 9.2 - Other information

VOC content	No data available
Minimum ignition energy	No data available
Conductivity	No data available

## SECTION 10: Stability and reactivity

### 10.1 - Reactivity

- This material is considered to be non-reactive under normal use conditions.

### 10.2 - Chemical stability

- The product is chemically stable under recommended conditions of storage, use and temperature.

### 10.3 - Possibility of hazardous reactions

- No hazardous reaction when handled and stored according to provisions.

### 10.4 - Conditions to avoid

- In case of warming: Ignition hazard

### 10.5 - Incompatible materials

- No information available.

### 10.6 - Hazardous decomposition products

- No information available.

## SECTION 11: Toxicological information

### 11.1 - Information on toxicological effects

Acute toxicity - Not classified

#### Toxicity : Mixture

LD50 oral (rat)	No data available
LD50 dermal (rat)	No data available
LD50 dermal (rabbit)	No data available
LC50 inhalation (rat)	No data available
LC50 inhalation dusts and mists (rat)	No data available
LC50 inhalation vapours (rat)	No data available

- Based on available data, the classification criteria are not met.

Skin corrosion/irritation - Not classified

## CERNIT ALCOHOL INK

	- Causes mild skin irritation.
<u>Serious eye damage/eye irritation</u>	- Eye irritation - Category 2 - Causes serious eye irritation
	- Irritating to eyes.
<u>Respiratory or skin sensitisation</u>	- Not classified
	- Based on available data, the classification criteria are not met.
<u>Germ cell mutagenicity</u>	- Not classified
	- Based on available data, the classification criteria are not met.
<u>Carcinogenicity</u>	- Not classified
	- Based on available data, the classification criteria are not met.
<u>Reproductive toxicity</u>	- Not classified
	- Based on available data, the classification criteria are not met.
<u>STOT-single exposure</u>	- Not classified
	- Based on available data, the classification criteria are not met.
<u>STOT-repeated exposure</u>	- Not classified
	- Based on available data, the classification criteria are not met.
<u>Aspiration hazard</u>	- Not classified

### SECTION 12: Ecological information

#### 12.1 - Toxicity

##### Toxicity : Mixture

EC50 48 hr crustacea	No data available
LC50 96 hr fish	No data available
ErC50 algae	No data available
ErC50 other aquatic plants	No data available
NOEC chronic fish	No data available
NOEC chronic crustacea	No data available
NOEC chronic algae	No data available
NOEC chronic other aquatic plants	No data available

- The substance/mixture does not fulfill the criteria of the acute aquatic toxicity according to Regulation (EC) No 1272/2008 [CLP], Annex I.

#### 12.2 - Persistence and degradability

Biochemical oxygen demand (BOD)	No data available
Chemical oxygen demand (COD)	No data available
% of biodegradation in 28 days	No data available

- No information available.

#### 12.3 - Bioaccumulative potential

---

## CERNIT ALCOHOL INK

---

Bioconcentration factor (BCF)	No data available
Log KOC	No data available

- No indication of bioaccumulation potential.

### 12.4 - Mobility in soil

- No information available.

### 12.5 - Results of PBT and vPvB assessment

- This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

- This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

### 12.6 - Other adverse effects

- No information available.

---

## SECTION 13: Disposal considerations

---

### 13.1 - Waste treatment methods

Waste treatment methods - Dispose of waste according to applicable legislation.

Sewage disposal - Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

Special precautions for waste treatment - Collect the waste separately.

Community or national or regional provisions - No information available.

---

## SECTION 14: Transport information

---

### 14.1 - UN number

UN number (ADR) : UN1263

UN number (RID) : UN1263

UN number (ADN) : UN1263

UN number (IMDG) : UN1263

UN number (IATA) : UN1263

### 14.2 - UN proper shipping name

---

## CERNIT ALCOHOL INK

---

<u>UN proper shipping name (ADR)</u>	:	PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound) (vapour pressure at 50 °C more than 110 kPa ) 640C (ethanol)
<u>UN proper shipping name (RID)</u>	:	PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound) (vapour pressure at 50 °C more than 110 kPa ) 640C (ethanol)
<u>UN proper shipping name (ADN)</u>	:	PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound) (vapour pressure at 50 °C more than 110 kPa ) 640C (ethanol)
<u>UN proper shipping name (IMDG)</u>	:	PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound) (vapour pressure at 50 °C more than 110 kPa ) 640C (ethanol)
<u>UN proper shipping name (IATA)</u>	:	PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound) (vapour pressure at 50 °C more than 110 kPa ) 640C (ethanol)

### 14.3 - Transport hazard class(es)



## CERNIT ALCOHOL INK

ADR Transport hazard class(es) : 3

ADR Classification code: : F1

Pictograms



Transport hazard class(es) (RID) : 3

Pictograms



Transport hazard class(es) (ADN) : 3

Pictograms



Transport hazard class(es) (IMDG) : 3

Pictograms



Transport hazard class(es) (IATA) : 3

Pictograms



### 14.4 - Packing group

Packing group : II

Packing group (RID) : II

Packing group (ADN) : II

Packing group (IMDG) : II

Packing group (IATA) : II

### 14.5 - Environmental hazards

Environmental hazards : No

Marine pollutant : No

### 14.6 - Special precautions for user

---

## CERNIT ALCOHOL INK

---

### **ADR**

<u>ADR Classification code:</u>	:	F1
<u>ADR Special provisions</u>	:	163+ 640C+650+367
<u>ADR Limited quantity (LQ)</u>	:	5 L
<u>ADR Excepted quantities</u>	:	E2
<u>ADR Packing instructions</u>	:	P001
<u>ADR Special packing provisions</u>	:	PP1
<u>ADR Mixed packing provisions</u>	:	MP19
<u>Instructions for portable tanks and bulk containers</u>	:	T4
<u>Special provisions for portable tanks and bulk containers</u>	:	TP1 TP8 TP28
<u>ADR tank code</u>	:	L1,5BN
<u>ADR tanks special provisions</u>	:	
<u>Vehicle for tank carriage</u>	:	FL
<u>ADR Transport category</u>	:	2
<u>ADR Tunnel restriction code</u>	:	D/E
<u>ADR Special provisions loading, unloading and handling</u>	:	
<u>Special provisions - Packages</u>	:	
<u>Special provisions - Bulk</u>	:	
<u>Special provisions - Operation</u>	:	S2, S20
<u>ADR Hazard identification number (Kemler No.)</u>	:	33

### **RID**

<u>Special provisions</u>	:	
<u>Limited quantity (LQ)</u>	:	
<u>Excepted quantities</u>	:	

### **ADN**

<u>Special provisions</u>	:	
<u>Limited quantity (LQ)</u>	:	
<u>Excepted quantities</u>	:	

### **IMDG**

<u>Special provisions</u>	:	
<u>Limited quantity (LQ)</u>	:	
<u>Excepted quantities</u>	:	
<u>Packing instructions</u>	:	
<u>Special packing provisions</u>	:	
<u>IBC instruction(s)</u>	:	
<u>IBC provisions</u>	:	
<u>Instructions for portable tanks and bulk containers</u>	:	
<u>Special provisions for portable tanks and bulk containers</u>	:	
<u>EmS codes</u>	:	
<u>Stowage and handling</u>	:	
<u>Segregation</u>	:	
<u>Properties and observations</u>	:	

## CERNIT ALCOHOL INK

### IATA

<u>PCA - Excepted quantities</u>	:
<u>PCA - Limited Quantity - Packing Instructions</u>	:
<u>PCA - Limited Quantity - Maximum Net Quantity per Package</u>	:
<u>PCA - Packing Instructions</u>	:
<u>PCA - Maximum Net Quantity per Package</u>	:
<u>CAO - Packing Instructions</u>	:
<u>CAO - Maximum Net Quantity per Package</u>	:
<u>Special Provisions</u>	:
<u>ERG Code</u>	:

14.7 - Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

### SECTION 15: Regulatory information

15.1 - Safety, health and environmental regulations/legislation specific for the substance or mixture

<u>Substances REACH candidates</u>	None
<u>Substances Annex XIV</u>	None
<u>Substances Annex XVII</u>	None
<u>VOC content</u>	No data available

15.2 - Chemical Safety Assessment

Chemical safety assessment carried out for the product - No information available.

### SECTION 16: Other information

#### SDS versions

Version	Issue date	Description of the amendments
1	09/09/2021	

#### Abbreviations and acronyms

- Agreement concerning the International Carriage of Dangerous Goods by Road
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- IATA: International Air Transport Association
- IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
- ICAO: International Civil Aviation Organisation
- ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)
- IMDG: International Maritime Code for Dangerous Goods
- RID : European treaty on the international transport of hazardous substances by rail

---

## CERNIT ALCOHOL INK

---

### Evaluation methods

The classification of the product is based on the calculation methods set out in Annex I to the CLP Regulation, unless otherwise specified in sections 11 and 12.  
Data for the assessment of physicochemical properties are presented in section 9.

### Texts of the regulatory sentences

Acute Tox. 4 Dermal	Acute toxicity (dermal) - Category 4
Eye Irrit. 2	Eye irritation - Category 2
Flam. Liq. 2	Flammable liquid and vapour. - Category 2
H225	Highly flammable liquid and vapour
H312	Harmful in contact with skin
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
STOT SE 3 (H336)	STOT-single exposure - Category 3 (H336)

\*\*\* \*\*