EISEN(III)-CHLORID SOLUTION 40%

Page: 1

Compilation date: 17.11.2020

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: EISEN(III)-CHLORID SOLUTION 40%

Product code: 899

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name:	Johannes Gerstäcker Verlag GmbH
	Wecostraße 4
	Eitorf
	53783
	Deutschland

Tel: +49 (0) 2243/889 - 95

Fax: +49 (0) 2243/889 - 446

Email: info@gerstaecker.com

1.4. Emergency telephone number

Emergency tel: GIZ-Nord, Göttingen +49 551/ 19240

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP:	Acute Tox. 4: H302; Skin Sens. 1: H317; Met. Corr. 1: H290; Skin Irrit. 2: H315; Eye Dam.
	1: H318
Most important adverse effects:	May be corrosive to metals. Harmful if swallowed. Causes skin irritation. Causes
	serious eye damage.

2.2. Label elements

Label elements:

Hazard statements: H290: May be corrosive to metals.

H302: Harmful if swallowed.

H315: Causes skin irritation.

H318: Causes serious eye damage.

Hazard pictograms: GHS05: Corrosion

GHS07: Exclamation mark



Signal words: Danger

EISEN(III)-CHLORID SOLUTION 40%

Page: 2

Precautionary statements:P234: Keep only in original container.P280: Wear protective gloves/protective clothing/eye protection/face protection.P301+312: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.P302+352: IF ON SKIN: Wash with plenty of water/soap and water.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

EISEN(III)-CHLORID

.

. . .

EINECS	CAS	PBT / WEL	CLP Classification	Percent
231-729-4	7705-08-0	-	Acute Tox. 4: H302; Eye Dam. 1: H318;	30-50%
			Met. Corr. 1: H290; Skin Irrit. 2: H315;	
			Skin Sens. 1: H317	

I.1. Description of first aid mea	asures	
Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin.	
	Drench the affected skin with running water for 10 minutes or longer if substance is still	
	on skin. Transfer to hospital if there are burns or symptoms of poisoning.	
Eye contact:	Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist	
	examination.	
Ingestion:	Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10	
	minutes. If unconscious, check for breathing and apply artificial respiration if necessary.	
	If unconscious and breathing is OK, place in the recovery position. Transfer to hospital	
	as soon as possible.	
Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so. If	
	unconscious and breathing is OK, place in the recovery position. If conscious, ensure	
	the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and	
	provide oxygen if available. Transfer to hospital as soon as possible.	
4.2. Most important symptoms and effects, both acute and delayed		
Skin contact:	Blistering may occur. Progressive ulceration will occur if treatment is not immediate.	
Eye contact:	Corneal burns may occur. May cause permanent damage.	
Ingestion:	Corrosive burns may appear around the lips. Blood may be vomited. There may be	
	bleeding from the mouth or nose.	

EISEN(III)-CHLORID SOLUTION 40%

Page: 3

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may

cause coughing or wheezing.

4.3. Indication of any immediate medical attention and special treatment needed

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Corrosive. In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Notify the police and fire brigade immediately. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

EISEN(III)-CHLORID SOLUTION 40%

Page: 4

7.3. Specific end use(s)

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures:Ensure there is sufficient ventilation of the area.Respiratory protection:Self-contained breathing apparatus must be available in case of emergency.Hand protection:Nitrile gloves. Breakthrough time of the glove material > 8 hours.Eye protection:Tightly fitting safety goggles. Ensure eye bath is to hand.Skin protection:Impermeable protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Siale: Liquid	State:	Liquid
---------------	--------	--------

Colour: Dark brown

Odour: Irritating odour

Evaporation rate: Slow

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Highly soluble

Viscosity: Non-viscous Boiling point/range°C: 100-105

Flammability limits %: lower: Not applicable.

Flash point°C: Not applicable.

DH: <1

Melting point/range°C: -12 upper: Not applicable. Relative density: 1,43 g/ml VOC g/l: 0

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

EISEN(III)-CHLORID SOLUTION 40%

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids. Metals. Aluminium. Iron.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

- **Ingestion:** Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.
- **Inhalation:** There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

EISEN(III)-CHLORID SOLUTION 40%

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN2582

14.2. UN proper shipping name

Shipping name: FERRIC CHLORIDE SOLUTION

(EISEN(III)-CHLORID)

14.3. Transport hazard class(es)

Transport class: 8

14.4. Packing group

Packing group: III

14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

14.6. Special precautions for user

Tunnel code: E

Transport category: 3

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

Section 16: Other information

Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	2015/830.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	H290: May be corrosive to metals.
	H302: Harmful if swallowed.
	H315: Causes skin irritation.
	H317: May cause an allergic skin reaction.
	H318: Causes serious eye damage.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive

Page: 6

EISEN(III)-CHLORID SOLUTION 40%

and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Page: 7