

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 18-Aug-2023

Revision Number: 1

Print Date: 25-Oct-2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product Name: **Gerstäcker - Pinselreiniger**

Article number: 34778

UFI: STQ5-5PJ8-2J0D-PKSM

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product categories [PC]: PC35 - Washing and cleaning products (including solvent based products)

### 1.3. Details of the supplier of the safety data sheet

Supplier: Johannes Gerstäcker Verlag GmbH  
Wecostraße 4  
D - 53783 Eitorf  
Telefon: +49 2243/ 88995  
Telefax: +49 2243/ 88945  
www.gerstaecker.com

E-mail address Gerstaecker.sdb@gerstaecker.com

### 1.4. Emergency telephone number

Emergency Telephone: poisson center North: +49 551 / 192 40 or +49 551 / 38 31 80

Emergency Telephone - §45 - (EC)1272/2008	
Europe	112
Austria	+43 1 406 43 43 (Giftinformationszentrale)
Bulgaria	+359 2 9154 213 (Pirogov)
Slovakia	+421 2 5477 4166 (NTIC)
Hungary	+36 80 201 199; +36 1 476 6464 (ETTSZ)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Aspiration hazard	Category 1 - (H304)
Chronic aquatic toxicity	Category 2 - (H411)

### 2.2. Label elements



Signal word: **Danger**

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 18-Aug-2023

Revision Number: 1

Print Date: 25-Oct-2023

Gerstäcker - Pinselreiniger - 34778

## Hazard components for labeling:

Contains hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics, Hydrocarbons, C9, aromats

## Hazard statements:

H304 - May be fatal if swallowed and enters airways.

H411 - Toxic to aquatic life with long lasting effects.

## EU Specific Hazard Statements:

EUH066 - Repeated exposure may cause skin dryness or cracking.

## Precautionary Statements - EU (§28, 1272/2008):

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P273 - Avoid release to the environment

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P331 - Do NOT induce vomiting

P391 - Collect spillage

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

## Additional information:

This product is exempt from the requirement for a child resistant fastening and tactile warning of danger, as it is an aspiration hazard, placed on the market in the form of an aerosol or in a container with a sealed spray attachment.

## 2.3. Other hazards

Causes mild skin irritation.

**PBT & vPvB:** This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

## SECTION 3: Composition/information on ingredients

organic solvents, additives

### 3.1 Substances

Not applicable

### 3.2 Mixtures

Chemical name	CAS No	EC No (EU Index No)	REACH registration number	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Weight-%
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics	-	918-481-9	01-2119457273-39	Asp. Tox. 1 (H304) (EUH066)	75 - < 100
Hydrocarbons, C9, aromats	-	918-668-5	01-2119455851-35	Flam. Liq. 3 (H226) Asp. Tox. 1 (H304) STOT SE 3 (H335) STOT SE 3 (H336) Aquatic Chronic 2 (H411) (EUH066)	10 - < 25
Alcohols, C16-18 and C18-unsaturated, ethoxylated (> 5-9 EO)	68920-66-1	-	[7]	Skin Irrit. 2 (H315) Aquatic Chronic 1 (H410)	3 - < 5

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 18-Aug-2023

Revision Number: 1

Print Date: 25-Oct-2023

Gerstäcker - Pinselreiniger - 34778

Isopropylbenzene	98-82-8	202-704-5 (601-024-00-X)	01-2119473983-24	Flam. Liq. 3 (H226) Asp. Tox. 1 (H304) STOT SE 3 (H335) Aquatic Chronic 2 (H411)	0.05 - < 0.1
Benzene	71-43-2	200-753-7 (601-020-00-8)	01-2119447106-44	Flam. Liq. 2 (H225) Asp. Tox. 1 (H304) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Muta. 1B (H340) Carc. 1A (H350) STOT RE 1 (H372)	0.005 - < 0.01

NOTE [7] - No registration number is given for this substance because it is a polymer exempted from registration according to the provisions of Article 2(9) of REACH. All monomers or other substances within the polymer are registered or exempt from registration

Chemical name	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)	Notes
Isopropylbenzene 98-82-8				C
Benzene 71-43-2				E

#### Acute Toxicity Estimate:

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATE<sub>mix</sub>) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics -	No data available	5005	8.5	No data available	No data available
Hydrocarbons, C9, aromats -	3592	3200	No data available	No data available	No data available
Alcohols, C16-18 and C18-unsaturated, ethoxylated (> 5-9 EO) 68920-66-1	2002	No data available	No data available	No data available	No data available
Isopropylbenzene 98-82-8	1400	10578	39	21.557	No data available
Benzene 71-43-2	1800	8208.2	No data available	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

**Full text of H- and EUH-phrases: see section 16**

## SECTION 4: First aid measures

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 18-Aug-2023

Print Date: 25-Oct-2023

Revision Number: 1

Gerstäcker - Pinselreiniger - 34778

---

## 4.1. Description of first aid measures

General advice:	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
Inhalation:	Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical attention. Delayed pulmonary edema may occur.
Eye contact:	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact:	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a physician.
Ingestion:	ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Rinse mouth. Never give anything by mouth to an unconscious person. Get immediate medical attention.
Self-protection of the first aider:	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms	Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Prolonged contact may cause redness and irritation.
Effects of Exposure	No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians:	Because of the danger of aspiration, emesis or gastric lavage should not be employed unless the risk is justified by the presence of additional toxic substances.
---------------------	---

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable Extinguishing Media:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Large Fire:	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media:	Do not scatter spilled material with high pressure water streams.

### 5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical:	No information available.
---	---------------------------

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 18-Aug-2023

Revision Number: 1

Print Date: 25-Oct-2023

Gerstäcker - Pinselreiniger - 34778

## 5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters:

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Ensure adequate ventilation. Use personal protective equipment as required.

Other information: Refer to protective measures listed in Sections 7 and 8.

For emergency responders: Use personal protection recommended in Section 8.

### 6.2. Environmental precautions

Environmental precautions: See Section 12 for additional Ecological Information.

### 6.3. Methods and material for containment and cleaning up

Methods for containment: Prevent further leakage or spillage if safe to do so.

Methods for cleaning up: Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards: Clean contaminated objects and areas thoroughly observing environmental regulations.

### 6.4. Reference to other sections

Reference to other sections: See section 8 for more information. See section 13 for more information.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling



Advice on safe handling: Ensure adequate ventilation.

General hygiene considerations: Handle in accordance with good industrial hygiene and safety practice.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions: Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children. Store away from other materials.

### 7.3. Specific end use(s)

Other information: No information available.

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 18-Aug-2023

Revision Number: 1

Print Date: 25-Oct-2023

Gerstäcker - Pinselreiniger - 34778

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Exposure Limits:

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Isopropylbenzene 98-82-8	STEL: 250 mg/m <sup>3</sup> STEL: 50 ppm TWA: 50 mg/m <sup>3</sup> TWA: 10 ppm *	TWA: 10 ppm TWA: 50 mg/m <sup>3</sup> STEL 50 ppm STEL 250 mg/m <sup>3</sup> H*	TWA: 20 ppm TWA: 100 mg/m <sup>3</sup> STEL: 50 ppm STEL: 250 mg/m <sup>3</sup> D*	STEL: 50 ppm STEL: 250 mg/m <sup>3</sup> TWA: 10 ppm TWA: 50 mg/m <sup>3</sup> K*	TWA: 10 ppm TWA: 50 mg/m <sup>3</sup> STEL: 50 ppm STEL: 250 mg/m <sup>3</sup> *
Benzene 71-43-2	TWA: 0.2 ppm TWA: 0.66 mg/m <sup>3</sup> *	H*	TWA: 1 ppm TWA: 3.25 mg/m <sup>3</sup> D*	TWA: 3.25 mg/m <sup>3</sup> TWA: 1 ppm K*	TWA: 1 ppm TWA: 3.25 mg/m <sup>3</sup> *
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Isopropylbenzene 98-82-8	* STEL: 50 ppm STEL: 250 mg/m <sup>3</sup> TWA: 20 ppm TWA: 100 mg/m <sup>3</sup>	TWA: 100 mg/m <sup>3</sup> Ceiling: 250 mg/m <sup>3</sup> D*	TWA: 10 ppm TWA: 50 mg/m <sup>3</sup> H*	TWA: 10 ppm TWA: 50 mg/m <sup>3</sup> STEL: 50 ppm STEL: 250 mg/m <sup>3</sup> A*	TWA: 10 ppm TWA: 50 mg/m <sup>3</sup> STEL: 50 ppm STEL: 250 mg/m <sup>3</sup> iho*
Benzene 71-43-2	* TWA: 1 ppm TWA: 3.25 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup> Ceiling: 10 mg/m <sup>3</sup> D*	TWA: 0.5 ppm TWA: 1.6 mg/m <sup>3</sup> H*	TWA: 0.5 ppm TWA: 1.5 mg/m <sup>3</sup> STEL: 3 ppm STEL: 9 mg/m <sup>3</sup> A*	TWA: 1 ppm TWA: 3.25 mg/m <sup>3</sup> iho*
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics -			TWA: 50 ppm TWA: 300 mg/m <sup>3</sup> Ceiling / Peak: 100 ppm Ceiling / Peak: 600 mg/m <sup>3</sup> RCP: C9-14 aliphates: STEL: 300 mg/m <sup>3</sup> - 2(II)		
Hydrocarbons, C9, aromats -		RCP: C9-14 aromates: STEL: 50 mg/m <sup>3</sup> - 2(II)	RCP: C9-14 aromates: STEL: 50 mg/m <sup>3</sup> - 2(II)		
Isopropylbenzene 98-82-8	TWA: 10 ppm TWA: 50 mg/m <sup>3</sup> STEL: 50 ppm STEL: 250 mg/m <sup>3</sup> *	TWA: 10 ppm TWA: 50 mg/m <sup>3</sup> H*	TWA: 10 ppm TWA: 50 mg/m <sup>3</sup> Peak: 40 ppm Peak: 200 mg/m <sup>3</sup> *	TWA: 50 ppm TWA: 245 mg/m <sup>3</sup> STEL: 75 ppm STEL: 370 mg/m <sup>3</sup> *	TWA: 50 mg/m <sup>3</sup> STEL: 250 mg/m <sup>3</sup> b*
Benzene 71-43-2	TWA: 1 ppm TWA: 3.25 mg/m <sup>3</sup> STEL: 1500 mg/m <sup>3</sup> *	H*	*	TWA: 3.25 mg/m <sup>3</sup> TWA: 1.0 ppm *	TWA: 3.25 mg/m <sup>3</sup> b*
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Isopropylbenzene 98-82-8	TWA: 10 ppm TWA: 50 mg/m <sup>3</sup> STEL: 50 ppm STEL: 250 mg/m <sup>3</sup> Sk*	TWA: 20 ppm TWA: 100 mg/m <sup>3</sup> STEL: 50 ppm STEL: 250 mg/m <sup>3</sup> cute*	TWA: 50 ppm TWA: 246 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 50 mg/m <sup>3</sup> STEL: 50 ppm STEL: 250 mg/m <sup>3</sup> Ada*	O* TWA: 50 mg/m <sup>3</sup> TWA: 10 ppm STEL: 170 mg/m <sup>3</sup> STEL: 35 ppm
Benzene 71-43-2	TWA: 1 ppm TWA: 3.25 mg/m <sup>3</sup> STEL: 3 ppm STEL: 9.75 mg/m <sup>3</sup> Sk*	TWA: 3.25 mg/m <sup>3</sup> TWA: 1 ppm cute*	TWA: 0.5 ppm TWA: 1.6 mg/m <sup>3</sup> STEL: 2.5 ppm STEL: 8 mg/m <sup>3</sup> cute*	TWA: 1 ppm TWA: 3.25 mg/m <sup>3</sup> Ada*	O* TWA: 1 ppm TWA: 3.25 mg/m <sup>3</sup> STEL: 6 ppm STEL: 19 mg/m <sup>3</sup>
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Isopropylbenzene 98-82-8	Peau* STEL: 50 ppm	skin* STEL: 50 ppm	TWA: 50 mg/m <sup>3</sup> STEL: 250 mg/m <sup>3</sup>	TWA: 50 mg/m <sup>3</sup> TWA: 10 ppm	STEL: 250 mg/m <sup>3</sup> TWA: 50 mg/m <sup>3</sup>

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 18-Aug-2023

Revision Number: 1

Print Date: 25-Oct-2023

Gerstäcker - Pinselreiniger - 34778

	STEL: 250 mg/m <sup>3</sup> TWA: 20 ppm TWA: 100 mg/m <sup>3</sup>	STEL: 250 mg/m <sup>3</sup> TWA: 20 ppm TWA: 100 mg/m <sup>3</sup>	H*	STEL: 250 mg/m <sup>3</sup> STEL: 50 ppm H*	skóra*
Benzene 71-43-2			TWA: 0.7 mg/m <sup>3</sup> H*	TWA: 0.2 ppm TWA: 0.66 mg/m <sup>3</sup> STEL: 0.6 ppm STEL: 1.98 mg/m <sup>3</sup> H*	TWA: 1.6 mg/m <sup>3</sup> skóra*
<b>Chemical name</b>	<b>Portugal</b>	<b>Romania</b>	<b>Slovakia</b>	<b>Slovenia</b>	<b>Spain</b>
Isopropylbenzene 98-82-8	TWA: 10 ppm TWA: 50 mg/m <sup>3</sup> STEL: 50 ppm STEL: 250 mg/m <sup>3</sup> Cutânea*	TWA: 20 ppm TWA: 100 mg/m <sup>3</sup> STEL: 50 ppm STEL: 250 mg/m <sup>3</sup> P*	TWA: 20 ppm TWA: 500 mg/m <sup>3</sup> K* Ceiling: 250 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 50 mg/m <sup>3</sup> STEL: 50 ppm STEL: 250 mg/m <sup>3</sup> K*	TWA: 10 ppm TWA: 50 mg/m <sup>3</sup> STEL: 50 ppm STEL: 250 mg/m <sup>3</sup> via dérmica*
Benzene 71-43-2	TWA: 1 ppm TWA: 3.25 mg/m <sup>3</sup> STEL: 2.5 ppm Cutânea*	TWA: 1 ppm TWA: 3.25 mg/m <sup>3</sup> P*	TWA: 1.0 ppm TWA: 3.25 mg/m <sup>3</sup> STEL: 5.0 ppm STEL: 16.25 mg/m <sup>3</sup> K*	TWA: 1 ppm TWA: 3.25 mg/m <sup>3</sup> K*	TWA: 1 ppm TWA: 3.25 mg/m <sup>3</sup> via dérmica*
<b>Chemical name</b>	<b>Sweden</b>	<b>Switzerland</b>	<b>United Kingdom</b>	<b>Russia</b>	<b>Turkey</b>
Isopropylbenzene 98-82-8	NGV: 10 ppm NGV: 50 mg/m <sup>3</sup> Bindande KGV: 50 ppm Bindande KGV: 250 mg/m <sup>3</sup> *	TWA: 20 ppm TWA: 100 mg/m <sup>3</sup> STEL: 80 ppm STEL: 400 mg/m <sup>3</sup> H*	TWA: 25 ppm TWA: 125 mg/m <sup>3</sup> STEL: 50 ppm STEL: 250 mg/m <sup>3</sup> Sk*	TWA: 50 mg/m <sup>3</sup> MAC: 150 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 100 mg/m <sup>3</sup> STEL: 50 ppm STEL: 250 mg/m <sup>3</sup> S*
Benzene 71-43-2	NGV: 0.5 ppm NGV: 1.5 mg/m <sup>3</sup> Bindande KGV: 3 ppm Bindande KGV: 9 mg/m <sup>3</sup> *	TWA: 0.2 ppm TWA: 0.7 mg/m <sup>3</sup> H*	TWA: 1 ppm TWA: 3.25 mg/m <sup>3</sup> STEL: 3 ppm STEL: 9.75 mg/m <sup>3</sup> Sk*	TWA: 5 mg/m <sup>3</sup> MAC: 15 mg/m <sup>3</sup> Skin	TWA: 1 ppm TWA: 3.25 mg/m <sup>3</sup> S*

Biological occupational exposure limits:

Chemical name	European Union	Germany DFG	Netherlands	Spain	United Kingdom	Hungary
Isopropylbenzene 98-82-8	-	10 mg/g Creatinine (urine - 2-Phenyl-2-propanol (after hydrolysis) end of shift) 10 mg/g Creatinine - BAT (end of exposure or end of shift) urine		7 mg/g Creatinine - urine (2-Phenyl-2-propanol) - end of shift	-	
Benzene 71-43-2	-	0.3 µg/g Creatinine - BAR (end of exposure or end of shift) urine 150 µg/g Creatinine - BAR (end of exposure or end of shift) urine 0.3 µg/L - BAR (end of exposure or end of shift) urine 0.5 µg/L - (end of exposure or end of shift) - urine		0.045 mg/g Creatinine - urine (S-Phenyl mercapturic acid) - end of exposure or end of shift 2 mg/L - urine (trans, trans-Muconic acid) - end of exposure or end of shift	-	0.04 mg/g Creatinine (urine - s-Phenyl mercapturic acid end of shift) 0.22 µmol/mmol Creatinine (urine - s-Phenyl mercapturic acid end of shift)

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 18-Aug-2023

Revision Number: 1

Print Date: 25-Oct-2023

Gerstäcker - Pinselreiniger - 34778

Chemical name	European Union	Germany DFG	Netherlands	Spain	United Kingdom	Hungary
		0.8 µg/L - (end of exposure or end of shift) - urine 1.5 µg/L - (end of exposure or end of shift) - urine 2.75 µg/L - (end of exposure or end of shift) - urine 5.0 µg/L - (end of exposure or end of shift) - urine 7.5 µg/L - (end of exposure or end of shift) - urine 12.5 µg/L - (end of exposure or end of shift) - urine 300 µg/g Creatinine - (end of exposure or end of shift) - urine 500 µg/g Creatinine - (end of exposure or end of shift) - urine 750 µg/g Creatinine - (end of exposure or end of shift) - urine 1200 µg/g Creatinine - (end of exposure or end of shift) - urine 1.5 µg/g Creatinine - (end of exposure or end of shift) - urine 3 µg/g Creatinine - (end of exposure or end of shift) - urine 5 µg/g Creatinine - (end of exposure or end of shift) - urine 12 µg/g Creatinine - (end of exposure or end of shift) - urine 25 µg/g Creatinine - (end of exposure or end of shift) - urine 45 µg/g Creatinine - (end of exposure or end of shift) - urine 90 µg/g Creatinine - (end of exposure or end of shift) - urine				



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 18-Aug-2023

Revision Number: 1

Print Date: 25-Oct-2023

Gerstäcker - Pinselreiniger - 34778

Chemical name	France	Italy MDLPS	Portugal	Finland	Denmark	Czech Republic
Benzene 71-43-2	5 mg/L - urine (Muconic acid) - end of shift	-	-			

Chemical name	Austria	Switzerland	Poland	Norway	Ireland	Russia
Isopropylbenzene 98-82-8	-	20 mg/g creatinine - urine (2-Phenyl-2-propa nol after hydrolysis) - end of shift 16.6 µmol/mmol creatinine - urine (2-Phenyl-2-propa nol after hydrolysis) - end of shift	-	-	-	
Benzene 71-43-2	10 g/dL Hemoglobin (blood - by the first screening and once yearly or for work in cokery plants every six months) 12 g/dL Hemoglobin (blood - by the first screening and once yearly or for work in cokery plants every six months) 79 - 97 fL mean corpuscular volume (blood - by the first screening and once yearly or for work in cokery plants every six months) 3.8 million/µL Erythrocytes (blood - by the first screening and once yearly or for work in cokery plants every six months) 3.2 million/µL Erythrocytes (blood - by the first screening and once yearly or for work in cokery plants every six months) 13000 Leukocytes/µL (blood - by the first screening and once yearly or for	25 µg/g creatinine - urine (S-Phenyl-mercapt uric acid) - end of shift 0.01 µmol/mmol creatinine - urine (S-Phenyl-mercapt uric acid) - end of shift 500 µg/g creatinine - urine (t,t-Muconic acid) - end of shift 0.4 µmol/mmol creatinine - urine (t,t-Muconic acid) - end of shift	-	-	25 µg/g Creatinine (urine - s-Phenylmercapt uric acid end of shift) 500 µg/g Creatinine (urine - t,t-Muconic acid end of shift)	

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 18-Aug-2023

Revision Number: 1

Print Date: 25-Oct-2023

Gerstäcker - Pinselreiniger - 34778

Chemical name	Austria	Switzerland	Poland	Norway	Ireland	Russia
	work in cokery plants every six months) 4000 Leukocytes/ $\mu$ L (blood - by the first screening and once yearly or for work in cokery plants every six months) 130000 Thrombocytes/ $\mu$ L (blood - by the first screening and once yearly or for work in cokery plants every six months) 150000 Thrombocytes/ $\mu$ L (blood - by the first screening and once yearly or for work in cokery plants every six months) 1.6 mg/L (urine - t,t-Muconic acid after end of work day, at the end of a work week/end of the shift)					

Derived No Effect Level (DNEL):

component information:

Worker - inhalative:

Chemical name	long-term, systemic	short-term, systemic	long-term, local	short-term, local
Alcohols, C16-18 and C18-unsaturated, ethoxylated (> 5-9 EO)	294 mg/m <sup>3</sup>			
Isopropylbenzene	100 mg/m <sup>3</sup>			250 mg/m <sup>3</sup>

Worker - dermal:

Chemical name	long-term, systemic	short-term, systemic	long-term, local	short-term, local
Alcohols, C16-18 and C18-unsaturated, ethoxylated (> 5-9 EO)	2080 mg/kg bw/day			
Isopropylbenzene	15.4 mg/kg bw/day			

Consumer - inhalative:

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 18-Aug-2023

Revision Number: 1

Print Date: 25-Oct-2023

Gerstäcker - Pinselreiniger - 34778

Chemical name	long-term, systemic	short-term, systemic	long-term, local	short-term, local
Alcohols, C16-18 and C18-unsaturated, ethoxylated (> 5-9 EO)	87 mg/m <sup>3</sup>			
Isopropylbenzene	16.6 mg/m <sup>3</sup>			

Consumer - dermal:

Chemical name	long-term, systemic	short-term, systemic	long-term, local	short-term, local
Alcohols, C16-18 and C18-unsaturated, ethoxylated (> 5-9 EO)	1250 mg/kg bw/day			
Isopropylbenzene	1.2 mg/kg bw/day			

Consumer - oral:

Chemical name	long-term, systemic	short-term, systemic	long-term, local	short-term, local
Alcohols, C16-18 and C18-unsaturated, ethoxylated (> 5-9 EO)	25 mg/kg bw/day			
Isopropylbenzene	5 mg/kg bw/day			

Predicted No Effect Concentration (PNEC):

component information:

Chemical name	Alcohols, C16-18 and C18-unsaturated, ethoxylated (> 5-9 EO) CAS: 68920-66-1
Freshwater	0.0072 mg/L
Marine water	0.0007 mg/L
Freshwater (intermittent release)	0.1 mg/L
Sewage treatment	10 g/L
Freshwater sediment	22.79 mg/kg sediment dw
Marine sediment	2.28 mg/kg sediment dw
Soil	1 mg/kg soil dw
Chemical name	Isopropylbenzene CAS: 98-82-8
Freshwater	0.035 mg/L
Marine water	0.0035 mg/L
Freshwater (intermittent release)	0.012 mg/L
Sewage treatment	200 mg/L
Freshwater sediment	3.22 mg/kg sediment dw
Marine sediment	0.322 mg/kg sediment dw
Soil	0.624 mg/kg soil dw

## 8.2. Exposure controls

Engineering controls: None under normal use conditions.

Personal protective equipment: The usual precautionary measures for the handling of chemicals have to be observed.

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 18-Aug-2023

Revision Number: 1

Print Date: 25-Oct-2023

Gerstäcker - Pinselreiniger - 34778



Eye/face protection: Wear safety glasses with side shields (or goggles).

Hand protection: Wear suitable gloves.

PPE - Glove material	Glove thickness	Break through time
NBR (Nitrile rubber)	0.5 mm	>=480 min.

Skin and body protection: Wear suitable protective clothing.

Respiratory protection: No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Recommended Filter Type: Filtering device (full mask or mouthpiec) with filter: AP-2

Environmental exposure controls: No information available.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance	Liquid					
Color	colorless					
Odor	characteristic					
Melting point / melting range				Conditions	Method	Remarks
Boiling point / boiling range	180 - 234	°C				Not established
Flammability						Not established
Decomposition temperature						not relevant
Flash point	~ 64	°C				
Autoignition temperature	~ 240	°C				
Lower explosive limit	0.6	Vol%				
Upper explosion limit	8	Vol%				
Vapor pressure	> 1100	hPa	50 °C			
Density	0.822	g/cm <sup>3</sup>	20 °C			Not applicable
Water solubility						Miscible
pH						Not applicable
pH (as aqueous solution)						Not established
Partition coefficient						Not established
Kinematic viscosity	< 20.5	mm <sup>2</sup> /s	40 °C			
Odor threshold						Not established
Relative density						Not established
Evaporation rate						Not established
Relative vapor density	no data available					
Particle Size	no data available					
Particle Size Distribution	no data available					

### 9.2. Other information

Bulk density: no data available  
Softening point: No information available

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 18-Aug-2023

Revision Number: 1

Print Date: 25-Oct-2023

Gerstäcker - Pinselreiniger - 34778

**Molecular weight** No information available

## 9.2.1. Information with regard to physical hazard classes:

Explosive properties Not applicable  
Oxidizing properties Not applicable

**9.2.2. Other safety characteristics:** No information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactivity: No information available.

### 10.2. Chemical stability

Stability: Stable under normal conditions.

Explosion data:

Sensitivity to mechanical impact: None.  
Sensitivity to static discharge: None.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions: None under normal processing.

### 10.4. Conditions to avoid

Conditions to avoid: None known based on information supplied.

### 10.5. Incompatible materials

Incompatible materials: None known based on information supplied.

### 10.6. Hazardous decomposition products

Hazardous decomposition products: None known based on information supplied.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure:

Product Information: The product has not been tested

Inhalation: Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract.

Eye contact: Specific test data for the substance or mixture is not available. May cause irritation.

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 18-Aug-2023

Revision Number: 1

Print Date: 25-Oct-2023

Gerstäcker - Pinselreiniger - 34778

**Skin contact:** Repeated exposure may cause skin dryness or cracking. Specific test data for the substance or mixture is not available. Causes mild skin irritation.

**Ingestion:** Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways.

## Symptoms related to the physical, chemical and toxicological characteristics:

**Symptoms:** Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Prolonged contact may cause redness and irritation.

## Numerical measures of toxicity:

**Acute toxicity:** The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral): 32,669.00 mg/kg  
ATEmix (inhalation-dust/mist): 11.30 mg/l

## Component Information:

Chemical name	Parameter	Species	Effective dose	Method
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics -	Oral LD50	Rat	> 5000 mg/kg	
Hydrocarbons, C9, aromats -	Oral LD50	Rat	3592 mg/kg	OECD 401
Alcohols, C16-18 and C18-unsaturated, ethoxylated (> 5-9 EO) 68920-66-1	Oral LD50	Rat	> 2000 mg/kg	
Isopropylbenzene 98-82-8	Oral LD50	Rat	1400 mg/kg	
Benzene 71-43-2	Oral LD50	Rat	1800 mg/kg	

Chemical name	Parameters	Species	Effective dose	Method
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics -	Dermal LD50	Rabbit	> 5000 mg/kg	
Hydrocarbons, C9, aromats -	Dermal LD50	Rabbit	> 3160 mg/kg	OECD 402
Isopropylbenzene 98-82-8	Dermal LD50	Rabbit	12300 µL/kg	
Benzene 71-43-2	Dermal LD50	Rabbit	> 8200 mg/kg	

Chemical name	Parameters	Species	Effective dose	Exposure time	Method
Isopropylbenzene 98-82-8	Inhalation LC50	Rat	39000 mg/m <sup>3</sup>	4 h	
Benzene 71-43-2	Inhalation LC50	Rat	44.66 mg/L	4 h	

Delayed and immediate effects as well as chronic effects from short and long-term exposure:

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 18-Aug-2023

Revision Number: 1

Print Date: 25-Oct-2023

Gerstäcker - Pinselreiniger - 34778

Skin corrosion/irritation:	Causes mild skin irritation.
Serious eye damage/eye irritation:	No information available.
Respiratory or skin sensitization:	No information available.
Germ cell mutagenicity:	Based on available data, the classification criteria are not met.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.

Chemical name	European Union
Benzene 71-43-2	Muta. 1B

Carcinogenicity: Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union
Isopropylbenzene	Carc. 1B
Benzene	Carc. 1A

Reproductive toxicity:	No information available.
STOT - single exposure:	No information available.
STOT - repeated exposure:	No information available.
Aspiration hazard:	May be fatal if swallowed and enters airways.

## 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

No information available.

### 11.2.2. Other information

No information available.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecotoxicity: Toxic to aquatic life with long lasting effects.

fish toxicity:

Chemical name	Parameter	Species	Effective dose	Exposure time	Method
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics -	LL0	Oncorhynchus mykiss	1000 mg/L	96 h	
Hydrocarbons, C9, aromats	LC50	Oncorhynchus mykiss	9.22 mg/L	96 h	

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 18-Aug-2023

Revision Number: 1

Print Date: 25-Oct-2023

Gerstäcker - Pinselreiniger - 34778

Chemical name	Parameter	Species	Effective dose	Exposure time	Method
-					
Alcohols, C16-18 and C18-unsaturated, ethoxylated (> 5-9 EO) 68920-66-1	LC50	Danio rerio	> 10 - 100 mg/l	96 h	OECD 203
Isopropylbenzene 98-82-8	LC50	Pimephales promelas Oncorhynchus mykiss Poecilia reticulata	6.04 - 6.61 mg/L 2.7 mg/L 5.1 mg/L	96 h	
Benzene 71-43-2	LC50	Pimephales promelas Oncorhynchus mykiss Lepomis macrochirus Poecilia reticulata	10.7 - 14.7 mg/L 5.3 mg/L 22.49 mg/L 70000 - 142000 µg/L	96 h	

toxicity to crustacea:

Chemical name	Parameter	Species	Effective dose	Exposure time	Method
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics -	EL0	Daphnia magna	1000 mg/L	48 h	
Hydrocarbons, C9, aromats -	EC50	Daphnia magna	6.14 mg/L	48 h	
Isopropylbenzene 98-82-8	EC50	Daphnia magna	7.9 - 14.1 mg/L	48 h	
Benzene 71-43-2	EC50	Daphnia magna	8.76 - 15.6 mg/L	48 h	

Algae Toxicity:

Chemical name	Parameter	Species	Effective dose	Exposure time	Method
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics -	EL0	Pseudokirchneriella subcapitata	1000 mg/L	72 h	
Hydrocarbons, C9, aromats -	EL50	Pseudokirchneriella subcapitata	2.6 - 2.9 mg/L	72 h	
Isopropylbenzene 98-82-8	EC50	Pseudokirchneriella subcapitata	2.6 mg/L	72 h	
Benzene 71-43-2	EC50	Pseudokirchneriella subcapitata	29 mg/L	72 h	

Bacteria toxicity:

Chemical name	Parameters	Species	Effective dose	Exposure time	Method
Alcohols, C16-18 and	EC50	activated sludge	> 1000 mg/L		



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 18-Aug-2023

Revision Number: 1

Print Date: 25-Oct-2023

Gerstäcker - Pinselreiniger - 34778

Chemical name	Parameters	Species	Effective dose	Exposure time	Method
C18-unsaturated, ethoxylated (> 5-9 EO) 68920-66-1					

## 12.2. Persistence and degradability

Persistence and degradability:

Chemical name	degradation rate	test duration	Rapidly biodegradable	Remarks	Method
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics -	80 %	28 d	Yes		
Hydrocarbons, C9, aromats -	78 %	28 d	Yes		
Alcohols, C16-18 and C18-unsaturated, ethoxylated (> 5-9 EO) 68920-66-1	73 %		Yes		OECD 301 B

## 12.3. Bioaccumulative potential

Bioaccumulation:

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics -	3	
Hydrocarbons, C9, aromats -	3.9	
Isopropylbenzene 98-82-8	3.7	35.5
Benzene 71-43-2	2.1	4.4

## 12.4. Mobility in soil

Mobility in soil: No information available.

Mobility: No information available.

## 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment: No information available

Chemical name	PBT and vPvB assessment
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics -	The substance is not PBT / vPvB
Hydrocarbons, C9, aromats -	The substance is not PBT / vPvB

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 18-Aug-2023

Revision Number: 1

Print Date: 25-Oct-2023

Gerstäcker - Pinselreiniger - 34778

Alcohols, C16-18 and C18-unsaturated, ethoxylated (> 5-9 EO) 68920-66-1	The substance is not PBT / vPvB
Isopropylbenzene 98-82-8	The substance is not PBT / vPvB
Benzene 71-43-2	The substance is not PBT / vPvB

## 12.6. Endocrine disrupting properties.

No information available.

## 12.7. Other adverse effects.

No information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste from residues/unused products: Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging: Do not reuse empty containers.

Waste codes / waste designations according to EWC / AVV: 07 01 04\* (other organic solvents, washing liquids and mother liquors)

## SECTION 14: Transport information

### 14.1. UN number

ADR: Not regulated  
RID: Not regulated  
IMDG: Not regulated  
IATA: Not regulated

### 14.2 UN proper shipping name

ADR: Not regulated  
RID: Not regulated  
IMDG: Not regulated  
IATA: Not regulated

### 14.3. Transport hazard class(es)

ADR: Not regulated  
RID: Not regulated  
IMDG: Not regulated  
IATA: Not regulated

### 14.4. Packing group

ADR: Not regulated  
RID: Not regulated

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 18-Aug-2023

Revision Number: 1

Print Date: 25-Oct-2023

Gerstäcker - Pinselreiniger - 34778

IMDG: Not regulated  
IATA: Not regulated

## 14.5. Environmental hazards

ADR: Not applicable  
RID: Not applicable  
IMDG: Not applicable  
IATA: Not applicable

## 14.6. Special precautions for user

ADR: Not regulated  
Special Provisions: None  
RID: Not regulated  
Special Provisions: None  
IMDG: Not regulated  
Special Provisions: None  
IATA: Not regulated  
Special Provisions: None

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European Union:

Regulation (EC) No. 1907/2006 (Annex II - (EC) No. 2020/878) and Regulation (EC) No. 1272/2008

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Take note of Directive 94/33/EC on the protection of young people at work:

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken

Authorizations and/or restrictions on use:

- This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Substance subject to authorization per REACH Annex XIV	Restricted substance per REACH Annex XVII
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics		28.
-		29.
Hydrocarbons, C9, aromats		3.
-		40.
Isopropylbenzene		3.
98-82-8		40.
Benzene		72.
71-43-2		5.
		28.

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 18-Aug-2023

Revision Number: 1

Print Date: 25-Oct-2023

Gerstäcker - Pinselreiniger - 34778

		29.
--	--	-----

Persistent Organic Pollutants: Not applicable  
(EC) 2019/1021

Export Notification requirements: This product contains substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals

Chemical name	European Export/Import Restrictions per (EC) 689/2008 - Annex Number
Benzene 71-43-2	I.1

Dangerous substance category per Seveso Directive (2012/18/EU):  
E2 - Hazardous to the Aquatic Environment in Category Chronic 2

Ozone-depleting substances (ODS) regulation (EC) 1005/2009: Not applicable

EU - Water Framework Directive (2000/60/EC):

Chemical name	EU - Water Framework Directive (2000/60/EC)
Benzene 71-43-2	Priority substance

EU - Environmental Quality Standards (2008/105/EC):

Chemical name	EU - Environmental Quality Standards (2008/105/EC)
Benzene 71-43-2	Priority Substance ([4])

volatile organic compounds (VOC) content:  
acc. reg. 2010/75/EC (20°C): 85 %  
acc. reg. 2004/42/EC (Decopaint): 797 g/L

648/2004/ EU (DetVo):  
≥ 30% aliphatic hydrocarbons; ≥ 5 - < 15% aromatic hydrocarbons; < 5% Non-ionic surfactants

## National regulations:

Denmark:

Chemical name	Denmark - MAL
Isopropylbenzene 98-82-8	25 m3/10 g substance MAL factor >0 % by weight [1]
Benzene 71-43-2	880 m3/10 g substance MAL factor >=0.1 % by weight [6]

Germany:

Water hazard class (WGK): obviously hazardous to water (WGK 2) - Classification according to AwSV

Chemical name	WGK Classification (AwSV)	ID number
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics -	1	-
Hydrocarbons, C9, aromats -	2	775
Alcohols, C16-18 and C18-unsaturated, ethoxylated (> 5-9 EO) 68920-66-1	1	7833
Isopropylbenzene 98-82-8	1	58

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 18-Aug-2023

Revision Number: 1

Print Date: 25-Oct-2023

Gerstäcker - Pinselreiniger - 34778

Benzene 71-43-2	3	29
--------------------	---	----

TA Luft (German Air Pollution Control Regulation):  
org. substances (Ziffer 5.2.5): 95 - 100%

Storage class (TRGS 510): LGK13 - Non-combustible solids

France:

Occupational Illnesses (R-463-3, France):

Chemical name	French RG number
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics -	RG 84
Hydrocarbons, C9, aromats -	RG 84
Isopropylbenzene 98-82-8	RG 84
Benzene 71-43-2	RG 4, RG 4bis, RG 84

RG 4 - Blood diseases caused by benzene and any benzene-containing products

RG 4bis - Gastrointestinal conditions caused by benzene, toluene, xylenes, and any products containing them

RG 84 - Conditions caused by occupational use of liquid organic solvents

Netherlands:

Chemical name	Isopropylbenzene
Netherlands - List of Carcinogens	Present X
ZZS list: SVHC	x ()

Chemical name	Benzene
Netherlands - List of Carcinogens	Present X
Netherlands - List of Mutagens	Present
ZZS list: SVHC	x ()

Water contaminating class (Netherlands): C2

Austria:

Flammable Liquids Regulations, VbF Not regulated

Poland:

Ordinance of the Minister of Family, Labor and Social Policy dated June 12, 2018 on the highest permissible concentrations and intensities of harmful factors for health in the work environment (Dz. U. 2018 item 1286, as amended)

Act of December 14, 2012 on waste (Journal of Laws of 2013, item 21; as amended)

Act on chemical substances and their mixtures of February 25, 2011. (Journal of Laws No. 63, item 322; as amended)

Regulation of the Minister of Labor and Social Policy of September 26, 1997 on general regulations of safety and hygiene at work (Dz. U. of 2003, No. 169, item 1650; as amended).

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 18-Aug-2023

Revision Number: 1

Print Date: 25-Oct-2023

Gerstäcker - Pinselreiniger - 34778

## Switzerland:

VOC content:: acc. VOCV CH 814.018, att. 1: 85 %

## Hungary:

Decree No 44/2000 (XII.27.) of the Ministry of Economic Affairs and Labour of the Republic of Hungary on certain procedures and activities Joint Decree No. 5/2020 ITM on Chemical Safety at Work 178/2017 (VII. 5.)

Government Decree on the European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) „A“ and „B“ of the European Agreement on Road Transport

## International Inventories:

TSCA	Does not comply
DSL/NDSL	Does not comply
EINECS/ELINCS	Complies
ENCS	Does not comply
IECSC	Does not comply
KECL	Does not comply
PICCS	Does not comply
AICS	Does not comply
NZIoC	Does not comply

## Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**NZIoC** - New Zealand Inventory of Chemicals

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

## 15.2. Chemical safety assessment

Chemical Safety Report: No information available

## SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet:

Full text of H-Statements referred to under section 3:

EUH066 - Repeated exposure may cause skin dryness or cracking

H225 - Highly flammable liquid and vapor

H226 - Flammable liquid and vapor

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

H340 - May cause genetic defects

H350 - May cause cancer

H372 - Causes damage to organs through prolonged or repeated exposure

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 18-Aug-2023

Revision Number: 1

Print Date: 25-Oct-2023

Gerstäcker - Pinselreiniger - 34778

H410 - Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects

## Legend:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

ADR: European agreement concerning the international carriage of dangerous goods by road  
(Accord européen relatif transport des marchandises dangereuses par route)

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany)

BCF: Bio-Concentration Factor

BOD(5): Biochemical oxygen demand (within 5 days)

CAS: Chemical Abstract Service

CLP: Classification, Labelling and Packaging

CMR: Carcinogenic, Mutagenic, toxic for Reproduction

DIN: German Standards Institute / German industrial norm

DNEL: Derived No Effect Level

DOC: Dissolved organic carbon

EAK/ AVV: European waste catalogue/ waste directory-regulation

EC50: Effective Concentration 50%

ECHA: European Chemical Agency

EINECS: European Inventory of Existing Commercial Chemical Substances

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

IATA: International Air Transport Association

IC50: Inhibition Concentration 50%

IMDG: International Maritime Dangerous Goods Code

LC50: Lethal Concentration 50% - LD50: Lethal dose 50%

MAK: Treshold limit values Germany

NLP: No Longer Polymers

NOAEC: No Observed Adverse Effect Concentration

NOAEL: No Observed Adverse Effect Level

OECD: Organization for Economic Cooperation and Development

PBT: persistent, bioaccumulative, toxic

PC: Product category

PNEC: Predicted No Effect Concentration

REACH: Registration, Evaluation and Authorization of Chemicals

RID: Regulations concerning the international carriage of dangerous goods by rail

(Règlement International concernant le transport de marchandises dangereuses par chemin de fer)

STEL: Short-term Exposure Limit

STP: Sewage treatment plant

SVHC: Substance of Very High Concern

TLV: Threshold Limit Value

TWA: Time Weighted Average

UN: United Nations

VOC: Volatile Organic Compounds

vPvB: very persistent, very bioaccumulative

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Ceiling: Maximum limit value

\* Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapor	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 18-Aug-2023

Revision Number: 1

Print Date: 25-Oct-2023

Gerstäcker - Pinselreiniger - 34778

Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitization	Calculation method
Skin sensitization	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS:

European Chemicals Agency (ECHA)

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGLS)

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

Revision date: 20-Aug-2021

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH):

## Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**